FORESTER 2007



SPECIFICATIONS



FORESTER

Engine

	Forester 2.5X, 2.5XS, 2.5XS Premium
Туре	2.5L Single Overhead Cam (SOHC), 16-valve, horizontally-opposed, 4-cylinder SUBARU BOXER engine, Electronic Throttle Control and i-Active Valve Lift System
Power	173 hp @ 6,000 rpm [‡]
Torque	166 lb-ft @ 4,400 rpm [‡]
	Meets Low Emission Vehicle (LEV2) standards
	[‡] Peak horsepower and torque values are determined using the new SAE J1349 (Rev. 8/04) standard.


	Forester 2.5XT
Туре	2.5L Dual Overhead Cam (DOHC), 16-valve, horizontally-opposed, 4-cylinder SUBARU BOXER engine with turbocharger and intercooler, Electronic Throttle Control and Active Valve Control System
Power	224 hp @ 5,600 rpm [‡]
Torque	226 lb-ft @ 3,600 rpm [‡]
	Meets Low Emission Vehicle (LEV2) standards
	* Peak horsepower and torque values are determined using the new SAE J1349 (Rev. 8/04) standard.

Measurements	2.5X	2.5XS	2.5XS Premium	2.5XT
Fuel economy: Manual transmission (City/Hwy) (L/100km)	10.7/7.5	10.7/7.5	10.7/7.5	11.7/8.0
Fuel economy: Automatic transmission (City/Hwy) (L/100km)	10.4/7.7	10.4/7.7	10.4/7.7	11.4/8.5
Recommended minimum octane (AKI)	87	87	87	91
Fuel tank capacity (L)	60	60	60	60
Curb weight: Manual transmission (kg)	1425	1415	1445	1485
Curb weight: Automatic transmission (kg)	1445	1435	1465	1510
Towing capacity: Maximum weight (kg) with trailer brakes [†]	1087	1087	1087	1087
Length (mm)	4485	4485	4485	4485
Width (mm) with mirrors	1979	2006	2006	2006
Height (mm) with roof rails	1590	1590	1590	1585
Roof rack: Maximum load (kg)†	68	68	68	68
Wheelbase (mm)	2525	2525	2525	2525
Minimum ground clearance (at curb weight) (mm)	205	205	205	200
Steering: Turning circle (curb-to-curb) (m)	10.6	10.6	10.6	10.8
Headroom: Front / rear (mm)	1012/1010	1012/1010	992/939	992/939
Legroom: Front / rear (mm)	1107/856	1107/856	1107/856	1107/856
EPA interior volume (L)	3574	3574	3407	3407
Cargo area: EPA volume (seats up) (L)	869	869	818	818
Cargo area: SAE volume (seats folded flat) (L)	1943	1943	1826	1826


[†]Please review owner's manual for details.

Transmission and Drivetrain

Manual Transmission	5-speed manual transmission (5MT) with Hill Holder system, standard AWD type: Viscous-coupling limited-slip centre differential
Automatic Transmission	4-speed electronic direct control automatic transmission (4EAT), optional AWD type: Electronically controlled multi-plate transfer clutch
Drivetrain	Subaru symmetrical full-time All-Wheel Drive system Limited-slip rear differential (viscous type) (all models excluding 2.5X)



• • • Suspension: Heavy-duty raised



				8
•	•	•	•	Cargo tie down hooks
+	•	•	•	Cargo tray/protective mat
•	•	•	•	Gear bars
•	•	•	•	Grocery bag hooks
•	•	•	•	Light: Cargo area
•	•	•	•	Power outlet: 12V
+	•	•	•	Retractable cargo cover (Tonneau)
•	•	•	•	Storage: Sub-floor tray

	2.5X					
	Г			2.5XS		
	2.5XS Premium					
			Г	2.5XT		
				Exterior		
•	•	•	•	Body: Anti-corrosion treatment		
•	•	•	•	Body: Dual-sided galvanized steel		
•	-	-	-	Bumpers & bodyside cladding (Unpainted Textured Grey)		
-	•	-	-	Bumpers & bodyside cladding (Urban Grey Metallic)		
-	-	•	•	Bumpers & bodyside cladding (body colour)		
-	+	•	•	Bumper (rear): Step pad		
•	-	-	-	Door mirrors: Power adjustable, foldable & heated (black)		
-	•	•	•	Door mirrors: Power adjustable, foldable & heated (body colour)		
-	•	•	•	Door mirrors: Integrated LED turn signals		
-	-	-	•	Door sills: Aluminum		
•	-	-	-	Doors: Black handles		
-	•	•	•	Doors: Body colour handles		
•	•	•	-	Exhaust: Standard, single outlet muffler		
-	-	-	•	Exhaust: Turbo type, single outlet muffler (stainless steel tip)		
•	•	•	•	Fog lights: Multi-reflector halogen		
•	•	•	•	Headlights: Auto-off with ignition switch		
•	•	•	•	Headlights: Contoured multi-reflector halogen (high beam)		
•	•	•	-	Headlights: Contoured mulit-reflector halogen (low beam)		
-	-	-	•	Headlights: Contoured multi-reflector Xenon High Intensity Discharge (HID) (low beam)		
•	•	•	•	Hood: Aluminum alloy		
-	-	-	•	Hood: Functional hood scoop for intercooler air flow		
-	-	•	•	Moonroof: Large glass, power and sliding with sunshade		
•	•	•	•	Roof rack: Roof rails (black)		

+ • • Roof rack: Crossbars, lockable

• • • - Tire (spare): Temporary (under cargo area)


+ + • • Splash guards


				2.5X 2.5XS 2.5XS Premium 2.5XT	standard+ accessorynot available
				Exterior (continued)	
-	-	-	•	Tire (spare):Temporary compact (unde	r cargo area)
•	•	•	-	Tires: 215/60 R16 94H Yokohama Geola M+S All-Season	ındar G900
-	-	-	•	Tires: P215/55 R17 93H Yokohama Geola M+S All-Season	andar G900A
•	-	-	-	Wheels: 16" x 6.5" styled steel	
-	•	•	-	Wheels: 16" x 6.5" aluminum alloy, 8-s	poke design
-	-	-	•	Wheels: 17" x 7" aluminum alloy, 5-spc	ke design
•	•	•	•	Windows: Tinted	
•	•	•	•	Windshield: Laminated UV protection	and tinted
•	•	•	•	Window (rear): Defogger with timer	
-	•	•	•	Wipers (windshield): Heated glass de-	icer
•	•	•	•	Wipers (windshield): Variable intermitt	ent with washer
•	•	•	•	Wiper (rear window): Intermittent and mode with washer	d continuous
•	•	•	•	Wiper (rear window): De-icer heater	

Audio

				Audio
•	•	-	-	AM/FM/CD
-	-	•	•	AM/FM/6CD/MP3/WMA Premium audio system
•	•	•	•	Antenna: In-glass integrated
-	-	•	•	Auxiliary input for audio source (in dash)
-	-	•	•	SIRIUS [®] Satellite Radio, pre-wired (accessory kit required)
•	•	•	•	Speakers (main) (4)
+	+	•	•	Tweeters (2)
+	+	•	•	Premium upgraded speakers
+	+	+	•	Subwoofer







The Supplemental Restraint System (SRS airbags) affords the driver and passenger additional protection in some collisions. This system provides supplemental protection only, and seatbelts must be worn in order to avoid injuries to out-of-position occupants upon airbag deployment. The combination of SRS and seatbelts provides the best protection in a serious accident. All illustrations, specifications, features and photographs contained in this brochure are based on product information available at the time of its printing and may not be competedly accurate following its publication. Colours shown may vary due to reproduction variations in the printing process, and some vehicle parts cannot be shown in certain photographs. Subaru Canada, Inc. reserves the right to discours in the printing process, and some vehicle parts cannot be shown in certain photographs. Subaru Canada, Inc. reserves the right to discours in the printing process, and some vehicle parts cannot be shown in certain photographs. Subaru Canada, Inc. reserves the right to discours in the printing process, and some vehicle parts cannot be shown in certain photographs. Subaru Canada, Inc. reserves the right to discours in the printing process, and some vehicle parts cannot be shown in certain photographs. Subaru Canada, or they may time, without notice in certain photographs. Subaru Canada, or they may be shown with experiment or accessories, features, specifications and models, or to change their prices. Some models shown may be from international markets and are not available in Canada, or they may be shown with out not canada, or they may be shown without notices. Some models shown may be from international markets and are not available in Canada, or they may be shown without notices. Some models of the latest information and specifications. For complete details on product updates, warranties or the Subaru Canada. Please visit our Web site for the latest information and specifications. For complete details on product updates, warranties or the Su

SBF07ESPEC 09.06