

Γ	Outback	Outback	Outback	Outback	Outback	1
	2.5i	2.5i LTD	3.0R	3.0R VDC	2.5XT	
	Wagon	Wagon	Wagon	Wagon	Wagon	
Z	•	•	-	-	-	Engine: 2.5L Single Overhead Cam (SOHC), 16-valve, horizontally-opposed, 4-cylinder boxer engine
						Power: 168 hp @ 5,600 rpm
LE L						Torque: 166 lb-ft @ 4,000 rpm
Ë,	_		•	•		Engine: 3.0L Dual Overhead Cam (DOHC), 24-valve, horizontally-opposed, high output,
POWERTRAIN	-	-	•	•	-	6-cylinder boxer engine
٩.						Power: 250 hp @ 6,600 rpm Torque: 219 lb-ft @ 4,200 rpm
						Active Valve Control System (AVCS)
						Active Valve Lift System (AVLS)
						Engine top cover
						Engine: 2.5L Dual Overhead Cam (DOHC), 16-valve, horizontally-opposed, high output, 4-cylinder boxer
	-	-	-	-	•	engine with turbocharger and intercooler
						Power: 250 hp @ 6,000 rpm
						Torque: 250 lb-ft @ 3,600 rpm
						Active Valve Control System (AVCS) Engine top cover
	•	•	•	•	•	Emissions: Meets Low Emission Vehicle (LEV) standards
	0	0	0	0	0	Engine block heater
	•	•	•	•	-	Engine block: Open deck design, aluminum
-	-	•	-	•	•	Engine block: Semi-closed deck design, aluminum Engine mounts: Liquid-filled rubber
	•	•	•	•	•	Engine oil cooler
	•	•	•	•	•	Fuel injection: Sequential multiport
	-	-	•	•	•	Ignition system: Direct
-	•	•	-	-	-	Ignition system: Distributorless electronic Spark plugs: Iridium
	•	•	-	-	-	Spark plugs: Platinum
			1			
	•	-	-	-	-	5-speed manual transmission (5MT)
						Fully synchronized, including reverse
						Hydraulically operated, dry single plate disc clutch Starter interlock system (clutch pedal controlled)
						Subaru symmetrical full-time All-Wheel Drive type: Viscous-coupling limited-slip centre differential
	-	-	-	-	•	5-speed reinforced manual transmission (5MT)
						Dual mass flywheel Fully synchronized, including reverse
						Hydraulically operated, dry single plate disc clutch
						Starter interlock system (clutch pedal controlled)
						Subaru symmetrical full-time All-Wheel Drive type: Viscous-coupling limited-slip centre differential
	0	•				
	0	•	-	-	-	4-speed electronic direct control SPORTSHIFT [™] automatic transmission (4EAT SS) Gated shifter with shift position indicator on instrument panel
						Lock-up torque converter
						Transmission modes: Normal, Sport, SPORTSHIFT™
						Transmission shift lock Subaru symmetrical full-time All-Wheel Drive type: Electronically controlled multi-plate transfer clutch
						oubaid symmetrical fun-time All-wheel brive type. Electromically controlled main-plate transier datem
	-	-	•	•	0	5-speed electronic direct control SPORTSHIFT [™] automatic transmission (5EAT SS)
						Gated shifter with shift position indicator on instrument panel
						Lock-up torque converter Transmission modes: Normal, Sport, SPORTSHIFT [™]
						Transmission houses, Normal, Sport, SPORTSHIFT Transmission shift lock
						Variable Torque Distribution (VTD) with lateral g-sensor
			1	1	1	Subaru symmetrical full-time All-Wheel Drive type: <i>Electronically controlled locking centre differential</i>
	-	-	-	-	•	Transmission shift controls: Steering wheel mounted for 5EAT SS
	-	-	-	•	-	Vehicle Dynamics Control System (VDC)
	-	-	-	•	-	Traction Control System (TCS)
	•	•	•	•	•	Differential (rear): Limited-slip viscous type
	•	•	•	•	•	Exhaust: Twin mufflers, single outlet tips (hidden type) Electronic Throttle Control (ETC)
	•	•	•	•	•	Fuel requirement: Regular unleaded (87 AKI)
	-	-	•	•	•	Fuel requirement: Premium unleaded (91 AKI)
	•	•	•	•	•	Fuel cap: Tethered type
10	_		1	1	1	Deskee Dever essisted due discord eveters
CHASSIS	•	•	•	•	•	Brakes: Power-assisted, dual-diagonal system Brakes: ABS 4-channel, 4-sensor, 4-wheel
St	•	•	•	•	•	Brakes: ABS 4-chainel, 4-sensol, 4-wheel Brakes: Electronic Brake-Force Distribution (EBD)
H	•	•	•	•	•	Brakes (front): Ventilated discs (291 x 24 mm), dual piston calipers
0	•	•	•	•	•	Brakes (rear): Solid discs (270 x 10 mm), single piston calipers
	•	•	•	•	•	Cooler: Power steering oil Steering: Engine speed sensitive power assisted rack and pinjon
	•	•	•	•	•	Steering: Engine speed sensitive, power-assisted rack and pinion Suspension: 4-wheel fully-independent
	•	•	•	•	•	Suspension: Heavy-duty raised
	•	•	•	•	•	Suspension: Stabilizer bars
	•	•	•	•	•	Suspension (front): Strut with steel lower L-arm
	•	•	•	•	•	Suspension (front): Internal rebound springs Suspension (rear): Multi-link
	•	•	-	•	•	טעסאטראטרא (וכמו). ואועועיווווג

SUBARU

					7
Outback	Outback	Outback	Outback	Outback	
2.5i Wagon	2.5i LTD Wagon	3.0R Wagon	3.0R VDC Wagon	2.5XT Wagon	
Hagon	Magon	Magon	Wagon	magon	
<u>ທ</u> •	•	•	•	•	Body: Anti-corrosion treatment
•	•	•	•	•	Body: Dual-sided galvanized steel
•	•	•	•	•	Bumpers and protective bodyside cladding
- 1	-	•	•	-	Bumper (front): Silver lower underguard
EXTERIOR FEATURES	•	•	•	•	Bumper (rear): Integrated step pad
•	•	•	•	•	Cargo access: Liftgate
<u>к</u>	-	-	-	-	Door mirrors: Power adjustable, foldable & heated (black)
- 1	•	•	•	•	Door mirrors: Power adjustable, foldable & heated (body colour)
ΰ. <u> </u>	-	•	•	•	Door mirrors: Integrated LED turn signals
÷ –	•	-	-	-	Door sills: Standard
<u>î</u> -	-	•	•	•	Door sills: Aluminum
•	-	-	-	-	Doors: 4, with black handles
	•	•	•	•	Doors: 4, with body colour handles
•	•	•	•	•	Fog lights: Multi-reflector halogen
•	•	•	•	•	Grille: Black and chrome Outback type with Six Star cluster
•	•	•	•	•	Headlights: Auto-off with ignition switch
•	•	•	•	•	Headlights: Daytime Running Lights (DRL)
•	•	•	•	•	Headlights: Contoured multi-reflector halogen high beam
•	•	•	•	•	Headlights: Projector beam halogen low beam
•	•	•	•	•	Hood: Aluminum alloy Hood: Functional hood scoop for intercooler air flow
-	-	-	-	•	Moonroof: Twin glass, power tilting and sliding with sunshade
•	•	-	•	•	Roof Rack System: Raised-profile roof rails (black)
•	•	•	•	•	Roof Rack System: Crossbars, lockable
	•	•	•	•	Splash quards
•	•	•	•	•	Spoiler: Roof line, integrated brake light
	•	•	•	•	Tire (spare): Compact T155/70 D17 (under cargo area)
	•	-	-	-	Tires: 225/60 R16 97H Bridgestone Potenza RE92 All-Season M+S
-	-	•	•	•	Tires: 225/55 R17 95V Bridgestone Potenza RE92A All-Season M+S
•	•	-	-	-	Wheels: 16" x 6.5" aluminum alloy, 6-spoke Outback design
-	-	•	•	•	Wheels: 17" x 7" aluminum alloy, 5-spoke Outback design
•	•	•	•	•	Wheels: Chrome lug nuts
•	•	•	•	•	Windows: Tinted
•	•	•	•	•	Windshield: Laminated and tinted green
-	•	•	•	•	Windshield: Dark upper sunshade band
•	•	•	•	•	Window (rear): Defogger with timer
•	•	•	•	•	Wipers (windshield): Heated glass de-icer
•	•	•	•	•	Wipers (windshield): Variable intermittent with washer and driver side fin
•	•	•	•	•	Wiper (rear window): Intermittent and continuous mode with washer
•	•	•	•	•	Airbags (SRS): Driver and front passenger, dual-stage deployment
ē – •	•	•	•	•	Airbags (SRS): Front seat side-impact
5	•	•	•	•	Airbags (SRS): Side curtain
• ر	•	•	•	•	Airbags (SRS): Driver's seat position sensor
SAFELY AND SECURIT	•	•	•	•	Airbags (SRS): Passenger occupant detection system with on/off indication
• •	•	•	•	•	Assist grips: Outboard seating positions
	•	•	•	•	Brake pedal: Collapsible, passive safety type
•	•	•	•	•	Child safety: Rear door locking system
•	•	-	•	-	Child safety: Rear seat ISO-FIX/LATCH anchor system
	•	•	•	•	Driver's foot rest: Impact absorbing
•	•	•	•	•	Head restraints (front): Height adjustable, passive safety type Head restraints (rear): Removable and adjustable
•	•	•	•	•	Seatbelts (front): 3-point with pretensioners and load limiters (ELR)
•	•	•	•	•	
•	•	•	•	•	Seatbelts (front): Height adjustable shoulder belt anchors Seatbelts (front): Engagement indicator with warning chime
•	•	•	•	•	Seatbelts (rear): 3-point, all seating positions (ALR/ELR)
•	•	•	•	•	Security: Anti-theft system
	-	•	•	•	Security: Engine immobilizer system
•	•	•	•	•	Security: Keyless entry system with panic alarm
0	0	0	0	0	Security: Shock sensor
•	•	•	•	•	Steering column: Collapsible
		•	•	•	Structure: Advanced ring-shaped reinforcement frame
	•				
	•	•	•	•	Structure: Dual, side-impact door beams (front & rear)
•			•	•	Structure: Dual, side-impact door beams (front & rear) Structure: Energy-absorbing crumple zones (front & rear)
•	•	•			
•	•	•			
•	•	•	•	•	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish
•	•	•	•	•	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered
•	•	•	•	•	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter
•	•	•	•	• - •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered
•	• • • • •	• • • • •	• • • •	• • • •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Leather upholstery and interior trim
•	• • • • • •	• • • • • •	• • • • •	• • • •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Leather upholstery and interior trim Interior: Perforated leather upholstery and interior trim
•	• • • • • • •	• • • • • •	• - • •	• • • • • •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Perforated leather upholstery and interior trim Interior: Perforated leather upholstery and interior trim
•	• • • • • • •	• • • • • • • • • • •	• • • • •	• • • • •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Leather upholstery and interior trim Interior: Perforated leather upholstery and interior trim Seating capacity Seat (driver's): 8-way power adjustable with lumbar support
	• • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • •	• • • • • • 5	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Leather upholstery and interior trim Interior: Perforated leather upholstery and interior trim Seating capacity Seat (driver's): 8-way power adjustable with lumbar support Seat (front): Passenger, 4-way manual adjustable
	• • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • •	• • • • • • • • • •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Leather upholstery and interior trim Interior: Perforated leather upholstery and interior trim Seating capacity Seat (driver's): 8-way power adjustable with lumbar support Seat (front): Passenger, 4-way manual adjustable Seat (front): Passenger, 4-way power adjustable with lumbar support
• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Leather upholstery and interior trim Interior: Perforated leather upholstery and interior trim Seating capacity Seat (driver's): B-way power adjustable with lumbar support Seat (front): Passenger, 4-way power adjustable with lumbar support Seats (front): Heated with four level settings
	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • •	• • • • • • 5 • • •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Leather upholstery and interior trim Interior: Perforated leather upholstery and interior trim Seating capacity Seat (front): Passenger, 4-way manual adjustable Seat (front): Passenger, 4-way power adjustable with lumbar support Seats (front): Beated with four level settings Seats (front): Standard reclining bucket type
• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Leather upholstery and interior trim Interior: Perforated leather upholstery and interior trim Seat (driver's): 8-way power adjustable with lumbar support Seat (front): Passenger, 4-way manual adjustable Seats (front): Heated with four level settings Seats (front): Standar dreclining bucket type Seats (front): Sport type
	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	Structure: Energy-absorbing crumple zones (front & rear) Accents/trim: Woodgrain* and titanium finish (*with taupe interior only) Accents/trim: Titanium finish Floor mats: "Outback" embroidered Floor mats: Winter Interior: Premium woven cloth upholstery Interior: Leather upholstery and interior trim Interior: Perforated leather upholstery and interior trim Seating capacity Seat (front): Passenger, 4-way manual adjustable Seat (front): Heated with four level settings Seats (front): Standard reclining bucket type



United United United United United Upport							
Wage Wage Wage Wage 1000		Outback	Outback	Outback	Outback	Outback	
OPUID Image of the second of the							
OPDU ·	L	Wagon	Wagon	Wagon	Wagon	Wagon	
OPDU ·				1	1	1	Olimete sentete Ale sen d'Espin .
Image: state in the s	<u> </u>		•				
Image: state in the s	0		-				
Image: state in the state of the s	Ľ.						
Image: state of the s	z						
Image: state of the s	0						
Image: state of the s	0						
Image: state in the state of the s				-			
Image: state of the s		•					
Image: state is a state state is a state is	-	-	•	•	•	•	5 N
Image: state in the s		•	-	-	-	-	
Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with mahagary wood Image: starting wheel: MONO, leather wropped with steering wheel controls Image: starting wheel: MONO, leather wropped with steering wheel controls Image: starting wheel: MONO, leather wropped with steering wheel controls Image: starting wheel: MONO, leather wropped with steering wheel controls Image: starting wheel: MONO, leather wropped with steering wheel controls Image: starting wheel: MONO, leather wropped with steering wheel controls Image: starting wheel: MONO, leather wropped with steering whee		-	•				
Image: stand			-				
OPD · · · Transmission afth controls: Sheering wheel mounted for 5EAT SS Image: State of the state							
OPD Image: state of the state	-					1	
OPD ·		-	-	-	-	•	Transmission shift controls: Steering wheel mounted for 5EAT SS
OPD ·			1		1		
Image: Second	2						
Image: Second	9		•				
Image: Second	Ā		-				
2 2 2 Speaker: Dori weelers							
O O O Spakers: Plantium upgrade 0 0 0 0 Spakers: Subworder 1 1 1 Battery, Ant-Grain system 1 1 1 0 Dep holders (front): Console storage 1 1 1 0 Dep holders (front): Console storage 1 1 1 0 Dep holders (front): Console storage 1 1 1 0 Dep holders (front): Console integrated dor and cargo access controls) 1 1 1 0 Dep holders (front): Removable separator for storage 1 1 1 0 Dep holders (front): Removable separator for storage 1 1 1 0 Dep holders (front): Removable separator for storage 1 1 1 Dep holders (front): Removable separator for storage 1 1 1 Dep holders (front): Removable separator for storage 1 1 1 Dep holders (front): Removable separator for storage 1 1 Dep holders (front): Removable separator for storage<							
O O Speakers: Subwooler Opposite Ammest (front): With cosole storage Battery: Anti-Strain system Battery: Anti-Strain system O O Speakers: Subwooler O Opposite O Battery: Anti-Strain system O O Opposite Opposite Opposite O Opposite Opposite Opposite Opposite Opposite O Opposite <thopposite< th=""></thopposite<>				-		-	
Opposite Armest (font): With console storage 0					1		
Oppose • <td></td> <td>0</td> <td>0</td> <td>0</td> <td>•</td> <td>0</td> <td>Speakers: Subwooter</td>		0	0	0	•	0	Speakers: Subwooter
Oppose • <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td>					1		
Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state<	- Щ						
Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state Image: Specific state<	ž					1	
OP Image: Control of the set of the s	Щ.						
OP Image: Control of the set of the s	.						
OP Image: Control of the set of the s	—		•			•	
Open Open Open Image:	Ž.				1		
Open Open Open Image:	<u> </u>	•	•	•	•	•	
Image: Stand		-	-	-	•	-	
OPEN • • • Light: Interior dome with off delay • • • Light: Map spotiphs • • • • Power outlet: 12V in armets console • • • • Power outlet: 12V in dash • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •		•	•	•	•	•	
Image: Strange:		•	•	•	•	•	
Image: Storage:		•	•	•	•	•	
Image: Start Start Image: Start Start Start Image: Start S		•	•	•	•	•	
Image: Provision of the storage: Front door compartments Image: Provision of the storage: Provision of the storage: Provision of the storage: Provision of the storage: Provision of the storage provided in		•	•	•	•	•	Power outlet: 12V in armrest console
Image: Storage: Dash compartment, illuminated with lid • • • Storage: Overhead compartment • • • • Storage: Overhead compartment • • • • Storage: Overhead compartment • • • • • Storage: Dask of the index		•	•	•	•	•	
• • Storage: Overhead compartment • • • Storage: Passenger seatback storage pocket • • • • Storage: Passenger seatback storage pocket • • • • • Windows (power): Illuminated mirrors • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •		•	•	•	•	•	Storage: Front door compartments
• • Strage: Passenger seaback storage pocket • • • Visor: Dual, with illuminated mirrors • • • • • • •		•	•	•	•	•	
Image: Sport design Image: Sport design Image: Sport design Image: Sport design <td></td> <td>•</td> <td>-</td> <td>•</td> <td>-</td> <td>-</td> <td>Storage: Overhead compartment</td>		•	-	•	-	-	Storage: Overhead compartment
Image: Sport design Image: Sport design Clarge Start		•	•	•	•	•	Storage: Passenger seatback storage pocket
Image: Specific Strategy Image: Specific Strategy Imagey Imagey		•	•	•	•	•	Visor: Dual, with illuminated mirrors
Oppose • • • Cargo tray/protective mat Cargo tray/protective mat Cargo tray/protective mat • • • • Cargo tray day hooks • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • <t< td=""><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td></td></t<>		•	•	•	•	•	
PYDY • • Cargo tie down hooks • • • Grocery bag hooks • • • Cargo tie down hooks • • • Power outlet: 12V in cargo area • • • Power outlet: 12V in cargo over • • • Rear gate sill cover: Aluminum • • • Storage: Sub-floor tray • • • Storage: Sub-floor tray • • • Gauges: Sub-floor tray • • • Gauges: Full needle sweep on start-up • • • Gauges: Sport design • • • Gauges: Sport design • • • Instrument pane: Aduromatic transmission Sport mode indicator (4EAT SS and 5EAT SS) <		•	•	•	•	•	Windows (power): Illuminated switches
PYDY • • Cargo tie down hooks • • • Grocery bag hooks • • • Cargo tie down hooks • • • Power outlet: 12V in cargo area • • • Power outlet: 12V in cargo over • • • Rear gate sill cover: Aluminum • • • Storage: Sub-floor tray • • • Storage: Sub-floor tray • • • Gauges: Sub-floor tray • • • Gauges: Full needle sweep on start-up • • • Gauges: Sport design • • • Gauges: Sport design • • • Instrument pane: Aduromatic transmission Sport mode indicator (4EAT SS and 5EAT SS) <							
• • • Power outlet: 12V in cargo area • • • Rear gate sill cover: Aluminum • • • Rear gate sill cover: Aluminum • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Clock: Digital LED in dash • • • Gauges: Flectfoluminescent Gauges: Electfoluminescent • • • • Gauges: Sport design Instrument panel: Adjustable dash illumination • • • • Instrument panel: Automatic transmission SPORTSHIFT™ gear position indicator • • • • Instrument panel: Automatic transmission SPORTSHIFT™ gear position indicator • • • •	<u> </u>					1	
• • • Power outlet: 12V in cargo area • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Clock: Digital LED in dash • • • Gauges: Full needle sweep on start-up • • • Gauges: Sport design • • • Gauges: Sport design • • • Instrument panel: Adjustable dash illumination • • • Instrument panel: Automatic transmission SPORTSHIFT™ gear position indicator • •	ů Š	•	•	•	•	•	
• • • Power outlet: 12V in cargo area • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Rear gate sill cover: Aluminum • • • • Clock: Digital LED in dash • • • Gauges: Full needle sweep on start-up • • • Gauges: Sport design • • • Gauges: Sport design • • • Instrument panel: Adjustable dash illumination • • • Instrument panel: Automatic transmission SPORTSHIFT™ gear position indicator • •	Ā	•	•	•	•	•	
• • • Rear gate sill cover: Aluminum • • • Retractable cargo cover • • • Storage: Sub-floor tray • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	Ö	•	•	•	•		
• • • Retractable cargo cover • • Storage: Sub-floor tray • • • Storage: Sub-floor tray • • • • Gauges: Full needle sweep on start-up • • • • Gauges: Full needle sweep on start-up • • • • Gauges: Analog with red illuminated needles • • • • Gauges: Sport design • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •		•	•		1	1	
Image: Storage: Sub-floor tray Image: Storage: Sub-floor tray Image: Storage: Sub-floor tray Image: Storage: Sto		-	-	•	•	•	
Image: Storage: Sub-floor tray Image: Storage: Sub-floor tray Image: Storage: Sub-floor tray Image: Storage: Sto		•	•	•	•	•	
• • • Gauges: Full needle sweep on start-up • • • Gauges: Analog with red illuminated needles • • • Gauges: Sport design • • • Gauges: Sport design • • • Gauges: Sport design • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •		•	•	•	•	•	
• • • Gauges: Full needle sweep on start-up • • • Gauges: Analog with red illuminated needles • • • Gauges: Sport design • • • Gauges: Sport design • • • Gauges: Sport design • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •			I				
	S						
	ż				1	•	
	Щ	•	•	•	•	-	
	2		-			•	
	Ъ.	-	-	-	-	•	
		•	•	•	•	•	
	ž	•	•	•	•	•	
• • • (4EAT SS and SEAT SS) • • • Instrument panel: Coolant temperature gauge • • • Instrument panel: Fuel door location indicator • • • Instrument panel: Fuel gauge with low fuel warning light • • • Instrument panel: Fuel gauge with low fuel warning light • • • Instrument panel: Headlights and fog lights "on" indicator • • • Odometer: Digital, dual trip modes • • • Odometer: Electronically controlled analog • • • Tachometer • • • Trip computer: Elapsed time, ambient temperature, fuel economy, driving range			_		_	_	
• • Instrument panel: Fuel door location indicator • • Instrument panel: Fuel gauge with low fuel warning light • • • Instrument panel: Headlights and fog lights "on" indicator • • • Instrument panel: Headlights and fog lights "on" indicator • • • Odometer: Digital, dual trip modes • • • Speedometer: Electronically controlled analog • • • Tachometer • • • Trip computer: Elapsed time, ambient temperature, fuel economy, driving range		-	-	-		-	
• • Instrument panel: Fuel gauge with low fuel warning light • • • Instrument panel: Headlights and fog lights "on" indicator • • • Odometer: Digital, dual trip modes • • • Speedometer: Electronically controlled analog • • • Tachometer • • • Trip computer: Elapsed time, ambient temperature, fuel economy, driving range		•	•	•	•	•	
• • Instrument panel: Headlights and fog lights "on" indicator • • • Odometer: Digital, dual trip modes • • • Speedometer: Electronically controlled analog • • • Tachometer • • • Trip computer: Elapsed time, ambient temperature, fuel economy, driving range		•	•	•	•	•	
• • • Odometer: Digital, dual trip modes • • • Speedometer: Electronically controlled analog • • • Tachometer • • • Trip computer: Elapsed time, ambient temperature, fuel economy, driving range		•	•	•	•	•	
• • • Speedometer: Electronically controlled analog • • • Tachometer • • • Trip computer: Elapsed time, ambient temperature, fuel economy, driving range		•	•	•	•	•	
• • • Tachometer • • • Trip computer: Elapsed time, ambient temperature, fuel economy, driving range		•	•	•	•	•	
		•	•	•	•	•	
		•	•	•	•	•	
		•	•	•		•	
		•	•	•	•	•	Warning lights: ABS, airbag, brake fluid, oil pressure, check engine, door ajar warning



	Quitte a di	Outback	Quith a all	Quith a all	Quith a sh	
	Outback 2.5i	Outback 2.5i LTD	Outback 3.0R	Outback 3.0R VDC	Outback 2.5XT	
	Wagon	Wagon	Wagon	Wagon	Wagon	
MEASUREMENTS	10.2/7.5			-	12.3/8.5	FUEL ECONOMY Fuel economy: Manual transmission (City/Hwy) (L/100km)
Z III	10.2/7.5	- 10.3/7.4	- 12.2/8.5	- 12.2/8.5	12.6/8.8	Fuel economy: Automatic transmission (City/Hwy) (L/100km)
N.	87	87	91	91	91	Fuel: Recommended minimum octane (AKI)
RE	64	64	64	64	64	Fuel tank capacity (L)
л С						
Š	1500		-	-	1585	GENERAL WEIGHTS Curb weight: Manual transmission (kg)
W	1500	- 1545	1595	- 1645	1615	Curb weight: Automatic transmission (kg)
	2010	2010	2100	2100	2060	Gross Vehicle Weight Rating (GVWR) (kg)
	400.4	4004	4000	4000	4004	TOWING CAPACITY (*Please review owners manual for details)
	1224 453	1224 453	1360 453	1360 453	1224 453	Towing capacity: Maximum weight (kg) with trailer brakes* Towing capacity: Maximum weight (kg) without trailer brakes*
	90	90	90	90	90	Towing capacity: Maximum tongue weight (kg)
	4705	4705	4705	4705	4705	EXTERIOR
	4795 1770	4795 1770	4795 1770	4795 1770	4795 1770	Length (mm) Width (mm) without mirrors
	1945	1945	1992	1992	1992	Width (mm) with mirrors
	1580	1580	1580	1580	1580	Height (mm) with roof rails
	2670	2670	2670	2670	2670	Wheelbase (mm)
	1495	1495	1495	1495	1495	Track: Front (mm)
	1490 213	1490 213	1490 215	1490 215	1490 221	Track: Rear (mm) Minimum ground clearance (at curb weight) (mm)
	3.2	3.2	3.2	3.2	3.2	Steering: Turns (lock-to-lock)
	10.8	10.8	10.8	10.8	10.8	Steering: Turning circle (curb-to curb) (m)
	0.34	0.34	0.34	0.34	0.34	Drag coefficient (cd)
						HEADROOM
	1029	984	1029	984	984	Headroom: Front (mm)
	1002	937	1002	937	937	Headroom: Rear (mm)
	4440	4440	4440	4440	1110	
	1119 860	1119 860	1119 860	1119 860	1119 860	Legroom: Front (mm) (at accelerator) Legroom: Rear (mm) (minimum)
	000	000	000	000	000	
						SHOULDER ROOM
	1382	1382	1382	1382	1382	Shoulder room: Front (mm)
	1365	1365	1365	1365	1365	Shoulder room: Rear (mm)
						HIP ROOM
	1295	1295	1295	1295	1295	Hip room: Front (mm)
	1335	1335	1335	1335	1335	Hip room: Rear (mm)
						INTERIOR VOLUME
	3707	3707	3707	3707	3707	EPA interior volume (L)
						CARGO AREA
	949 1874	909 1747	949 1874	909 1747	909 1747	Cargo area: EPA volume (seats up) (L) Cargo area: SAE volume (seats folded flat) (L)
	1854	1854	1854	1854	1854	Cargo area: Floor length (seats folded flat) (mm)
	1077	1077	1077	1077	1077	Cargo area: Floor length (seats up) (mm)
	825	769	825	769	769	Cargo area: Height (mm)
	1100 671	1100 671	1100 671	1100 671	1100 671	Cargo area: Rear gate opening at floor (mm) Cargo area: Tailgate to ground height (mm)
	1071	1071	1071	1071	1071	Cargo area: Width between wheel wells (mm)
	45	45	45	45	45	Roof Rack System: Maximum load (kg)
5MT	3.454	-			3 151	GEAR RATIOS (5MT) MANUAL TRANSMISSION First Gear
2	2.062	-	-	-	3.454 1.947	First Gear Second Gear
	1.448	-	-	-	1.366	Third Gear
	1.088	-	-	-	0.972	Fourth Gear
	0.871	-	-	-	0.738	Fifth Gear
	3.333 4.111	-	-	-	3.333 4.444	Reverse Gear Final Drive Ratio
		-	-	-	-7.44	
S						GEAR RATIOS (4EAT SS) AUTOMATIC TRANSMISSION WITH SPORTSHIFT [™]
4EAT SS	2.785	2.785	-	-	-	First Gear
A U	1.545 1.000	1.545 1.000	-	-	-	Second Gear Third Gear
4	0.694	0.694	-	-	-	Fourth Gear
	2.272	2.272	-	-	-	Reverse Gear
	4.444	4.444	-	-	-	Final Drive Ratio
S						GEAR RATIOS (5EAT SS) AUTOMATIC TRANSMISSION WITH SPORTSHIFT [™]
5EAT SS	-	-	3.540	3.540	3.540	First Gear
E S	-	-	2.264	2.264	2.264	Second Gear
56	-	-	1.471 1.000	1.471 1.000	1.471 1.000	Third Gear Fourth Gear
	-	-	0.834	0.834	0.834	Fifth Gear
	-	-	2.370	2.370	2.370	Reverse Gear
	-	-	3.272	3.272	3.583	Final Drive Ratio



2005 OUTBACK

Outback	Outback	Outback	Outback	Outback	
2.5i	2.5i LTD	3.0R	3.0R VDC	2.5XT	
Wagon	Wagon	Wagon	Wagon	Wagon	
В	В	В	Т	В	Atlantic Blue Pearl / Granite Grey Opal cladding
В	В	В	Т	В	Brilliant Silver Metallic / Granite Grey Opal cladding
-	-	-	Т	В	Champagne Gold Opal (monotone)
Т	Т	Т	Т	-	Champagne Gold Opal / Granite Grey Opal cladding
-	-	-	-	В	Garnet Red Pearl (monotone)
-	-	-	Т	В	Obsidian Black Pearl (monotone)
Т	Т	Т	Т	-	Satin White Pearl / Granite Grey Opal cladding
Т	Т	Т	Т	-	Willow Green Opal / Moss Green Metallic cladding
	2.5i Wagon B B - T -	2.5i 2.5i LTD Wagon Wagon B B B T T 	2.5i 2.5i LTD 3.0R Wagon Wagon Wagon B B B B B B - - - T T T - - -	2.5i 2.5i LTD 3.0R 3.0R VDC Wagon Wagon Wagon Wagon B B B T - - T T T T T T - - - T - - - T - - - -	2.5i 2.5i LTD 3.0R 3.0R Wagon Wagon 2.5XT Wagon B B B T B B B B T B - - - T B - - - T B - - - B B - - - B B - - - B B - - - B B - - - B B - - - B B - - - B B - - - T B - - - T B - - - T B - - - T B - - - T B - T

B = Black interior T = Taupe interior

MSRP	\$32,995	-	-	-	\$42,895	5MT
	\$34,195	\$38,995	-	-	-	4EAT SS
	-	-	\$38,995	\$44,995	\$44,395	5EAT SS

All specifications are based on the latest product information available at time of production. Some information may change due to product revisions which may have occurred after printing. Subaru Canada, Inc. reserves the right to make changes at any time, without notice, to prices, colours, materials, equipment, specifications and models and to discontinue models or equipment. Subaru and Outback are registered trademarks. SPORTSHIFT is a registered trademark of Prodrive. Printed in Canada. © 2004 Subaru Canada, Inc.