

- All Impreza models include roof-integrated crossbar mounts for improved versatility and easier crossbar installation.
- The character line running along the side of the Impreza rises as it moves to the rear – this imparts a sense of speed and movement even as the Impreza sits still.
- Like all Subaru vehicles, the Impreza is equipped with Subaru's advanced ring-shaped reinforcement frame, helping it earn the Top Safety Pick designation from the Insurance Institute for Highway Safety (IIHS).
- Projector beam hawk-eye headlights cast a bright light that effortlessly illuminates the road ahead.
- All Impreza 2.5i models incorporate Subaru's "Spread Wing" grille design, a design that echoes Subaru's aviation heritage.



- The Impreza's twin cockpit interior design allows for an improved sense of spaciousness and calls to mind Subaru's rally expertise, where the passenger is fundamental to the overall driving experience.
- Standard dual front airbags, seat-mounted side airbags, side curtain airbags and front seatbelt pre-tensioners illustrate that safety is not an option on any Subaru.
- An iPod® or USB device can be controlled directly through the audio system with the MediaHub, a feature standard on 2.5i Convenience Package and above.
- The 2.5i with Limited Package features leather seating surfaces and rally-sport front seats for an even greater sense of luxury and comfort.
- Rear headrests are larger for 2011MY to reduce the risk of whiplash in a severe rear collision.

4-door

Manual Transmission	2.5i 2.5L SOHC	2.5i Convenience Package 2.5L SOHC	2.5i Sport Package 2.5L SOHC	2.5i Limited Package 2.5L SOHC
	5MT	5MT	5MT	2.5E30HC 5MT
Automatic	2.5i	2.5i Convenience Package	2.5i Sport Package	2.5i Limited Package
Transmission	2.5L SOHC 4EAT	2.5L SOHC 4EAT	2.5L SOHC 4EAT	2.5L SOHC 4EAT

5-door

Manual	2.5i	2.5i Convenience Package	2.5i Sport Package	2.5i Limited Package	
Transmission	2.5L SOHC	2.5L SOHC	2.5L SOHC	2.5L SOHC	
	5MT	5MT	5MT	5MT	
Automatic	2.5i	2.5i Convenience Package	2.5i Sport Package	2.5i Limited Package	
Transmission	2.5L SOHC	2.5L SOHC	2.5L SOHC	2.5L SOHC	
	4EAT	4EAT	4EAT	4EAT	

Impreza 2.5i

Horizontally opposed, 4-cylinder, 2.5L SUBARU BOXER engine with i-Active Valve Lift System

170 horsepower and 170 lb-ft of torque

5-speed Manual Transmission (5MT) with Hill Holder system or optional 4-speed Electronic Direct Control Automatic Transmission with Manual Mode (4EAT)

Subaru symmetrical full-time All-Wheel Drive

Vehicle Dynamics Control system and Traction Control System

Anti-lock Braking System, Electronic Brake-force Distribution (EBD) and Brake Assist

Brakes (front): Ventilated discs (277 x 24 mm), dual-piston calipers Brakes (rear): Solid discs (286 x 10 mm), single-piston calipers

Driver and front passenger front and side-impact airbags; side curtain airbags

Height-adjustable, active front-seat head restraints

Engine immobilizer system and anti-theft security system

16-inch steel wheels with wheel covers and Bridgestone® Potenza™ All-Season tires

Power-adjustable, foldable, heated, body-colour door mirrors

Body-colour door handles

Roofline rear spoiler with integrated brake light (5-door)

AM/FM/CD/MP3/WMA audio system with auxiliary audio input, 4 speakers, Radio Data System, vehicle-speed-sensitive volume and SIRIUS® Satellite Radio compatible

Air conditioning with air filtration

Tilt-adjustable steering wheel with integrated cruise control

60/40-split, flat-folding rear seats

Ebony cloth upholstery

Convenience Package: Available on 2.5i

16-inch aluminum alloy wheels

Advanced AM/FM/CD/MP3/WMA audio system with 4 speakers, 2 tweeters and steering wheel-integrated audio controls

MediaHub for iPod®/USB audio integration with Bluetooth® streaming audio

Voice-activated Bluetooth® hands-free system with steering wheel-mounted controls

Leather-wrapped gear selector and steering wheel

Sport Package: Available on 2.5i

16-inch aluminum alloy wheels

Aerodynamic body-colour side ground effects

Rear underbody diffuser (5-door)

Stainless steel exhaust tip(s)

Windshield wiper de-icer

Low-profile rear spoiler with integrated brake light (4-door)

Power tilting and sliding glass sunroof

Multi-reflector halogen fog lights

Advanced AM/FM/CD/MP3/WMA audio system with 4 speakers, 2 tweeters and steering wheel-integrated audio controls

SIRIUS® Satellite Radio installed (free 3-month trial subscription included)

MediaHub for iPod®/USB audio integration with Bluetooth® streaming audio

Voice-activated Bluetooth® hands-free system with steering wheel-mounted controls

Leather-wrapped gear selector and steering wheel

Heated front seats

Retractable cargo cover (5-door)

Limited Package: Available on 2.5i

17-inch aluminum alloy wheels with 205/50 R17 88V Bridgestone® Potenza™ RE92A M+S All-Season tires

Aerodynamic body-colour side ground effects

Rear underbody diffuser (5-door)

Stainless steel exhaust tip(s)

Windshield wiper de-icer

Low-profile rear spoiler with integrated brake light (4-door)

Leather-wrapped gear selector and steering wheel

Automatic climate control

Retractable cargo cover (5-door)

Heated, rally sport-design front seats

Multi-reflector halogen fog lights

Power tilting and sliding glass sunroof

Advanced AM/FM/CD/MP3/WMA audio system with 4 speakers,

2 tweeters and steering wheel-integrated audio controls

SIRIUS® Satellite Radio installed (free 3-month trial subscription included)

Voice-activated Bluetooth® hands-free system with

steering wheel-mounted controls

MediaHub for iPod®/USB audio integration with Bluetooth® streaming audio

Leather seating surfaces

VEHICLE SPECIFICATIONS 2011 IMPREZA

Measurements FUEL ECONOMY Manual transmission (City/Hwy) (U/100 km) 10.8/7.4 10.8/7.4 Manual transmission (City/Hwy) (Imperial MPG) 26/38 26/38 Automatic transmission (City/Hwy) (Imperial MPG) 27/38 27/38 Automatic transmission (City/Hwy) (Imperial MPG) 87 87 Automatic transmission (City/Hwy) (Imperial MPG) 87 87 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 64 64 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1390 1390 Curb weight: Automatic transmission (kg) 1420 1420 Gross Vehicle Weight Rating (GVWR) (kg) 1950 1950 EXTERIOR Exterior Length (mm) 4580 4415 Width (mm) with mirrors 1976 1976 Width (mm) with mirrors 1976 1976 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Minim		2.	2.5i	
### PitELE ECONOMY Manual transmission (City/Hwy) (U100 km) 10.8/7.4 10.8/7.4 10.8/7.4 10.8/7.4 10.8/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 10.4/7.5 1		4-door	5-door	
Manual transmission (City/Hwy) (Unporial MPG) 26/38 26/38 Automatic transmission (City/Hwy) (Unperial MPG) 26/38 26/38 Automatic transmission (City/Hwy) (Unperial MPG) 27/38 27/38 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 64 64 GENERAL WEIGHTS Curb weight: Automatic transmission (kg) 1390 1390 Curb weight: Automatic transmission (kg) 1420 1420 Geness Vehicle Weight Rating (GWWR) (kg) 1950 1950 EXTERIOR Length (mm) 4580 4415 Width (mm) with unirrors 1740 1740 Width (mm) with mirrors 1976 1976 <	Measurements			
Manual transmission (City/Hwy) (U100 km) 10.8/7.4 10.8/7.4 Manual transmission (City/Hwy) (U100 km) 26/38 26/38 Automatic transmission (City/Hwy) (U100 km) 10.4/7.5 10.4/7.5 Automatic transmission (City/Hwy) (U100 km) 27/38 27/38 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 64 64 GENERAL WEIGHTS Curb weight: Automatic transmission (kg) 1390 1390 Curb weight: Automatic transmission (kg) 1420 1420 Circs Vehicle Weight Rating (GWR) (kg) 1950 1950 EXTERIOR Length (mm) 4580 4415 Width (mm) with mirrors 1976 1976 Width (mm) with mirrors 1976 1976 Width (mm) with mirror 1976 1976				
Manual transmission (City/Hwy) (Imperial MPG) 26/38 26/38 Automatic transmission (City/Hwy) (Imperial MPG) 27/38 27/38 Automatic transmission (City/Hwy) (Imperial MPG) 87 87 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 64 64 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1390 1390 Curb weight: Automatic transmission (kg) 1420 1420 Gross Vehicle Weight Rating (GVWR) (kg) 1950 1950 EXERENCE 4580 4415 Width (mm) without mirors 1976 1976 Width (mm) with mirors 1976 1976 Wheelbase (mm) 2620 2620 Wheelbase (mm) 1495 1495 Track: Front (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turns (lock-to-lock) 10.6				
Automatic transmission (City/Hwy) (U100 km) 10.4/7.5 10.4/7.5 Automatic transmission (City/Hwy) (Imperial MPG) 27/38 27/38 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tel nak capacity (L) 64 64 GENERAL WEIGHTS 1390 1390 Curb weight: Manual transmission (kg) 1420 1420 Curb weight: Maturalit transmission (kg) 1420 1420 Gross Vehicle Weight Rating (GWWR) (kg) 1950 1950 EXTERIOR 1740 1470 Width (mm) 1470 1470 Width (mm) with mirrors 1976 1976 Wheelbase (mm) 2620 2620 Wheelbase (mm) 1495 1495 Track: Front (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock to lock) 2,8 2,8 Steering: Turns (lock to-lock) 2,8 2,8 Steering: Turns (lock to-lock) 3,0 3 Drag coefficient (cd) 10,6	Manual transmission (City/Hwy) (L/100 km)	10.8/7.4	10.8/7.4	
Automatic transmission (CitylHwy) (Imperial MPG) 27/38 27/38 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 64 64 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1390 1390 Curb weight: Automatic transmission (kg) 1420 1420 Geross Vehicle Weight Rating (GVWR) (kg) 1950 1950 EXTERIOR Length (mm) 4580 4415 Width (mm) without mirrors 1740 1740 Width (mm) with mirrors 1976 1976 Wheelbase (mm) 1475 1475 Witch: Front (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Gerificient (rd) 0.3 0.34 Brack: Rear (mm) 10.6 10.6 Brack: Rear (mm) 102 10.6 Brack: Ground (mm) 103	Manual transmission (City/Hwy) (Imperial MPG)	26/38	26/38	
Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 64 64 GENERAL WEIGHTS Curb weight: Matural transmission (kg) 1390 1390 Curb weight: Automatic transmission (kg) 1420 1420 Curb weight: Automatic transmission (kg) 1412 1420 Curb weight: Automatic transmission (kg) 4180 4415 Weight Rating (GVWR) (kg) 4415 4415 Weight Rating (GVWR) (kg) 4415 4415 Weight Rating (GVWR) (kg) 4415 4415 Weight Rating (GWR) (kg)	Automatic transmission (City/Hwy) (L/100 km)	10.4/7.5	10.4/7.5	
EVER LAW LEIGHTS 390 1390 Curb weight: Manual transmission (kg) 1420 1420 Curb weight: Manual transmission (kg) 1420 1420 Curb weight: Manual transmission (kg) 1950 1850 EXTERIOR Very Midth (mm) 4580 4415 Width (mm) without mirrors 1740 1740 Width (mm) with mirrors 1776 1976 Height (mm) 1475 1475 Height (mm) 1475 1475 Widelbase (mm) 2620 2620 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 10.2 10.2 Drag coefficient (cd) 1023 1023 Headroom: Front (mm) 192 998 Headroom: Front (with sunroof) (mm) 954 954	Automatic transmission (City/Hwy) (Imperial MPG)	27/38	27/38	
GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1390 1390 Curb weight: Automatic transmission (kg) 1420 1420 Gross Vehicle Weight Rating (GWWR) (kg) 1950 1950 EXTERIOR Length (mm) 4580 4415 Width (mm) without mirrors 1740 1740 Width (mm) with mirrors 1776 1976 Height (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with surroof) (mm) 98 98 Headroom: Front (mm	Recommended minimum octane (AKI) (*required octane)	87	87	
Curb weight: Manual transmission (kg) 1390 1390 Curb weight: Automatic transmission (kg) 1420 1420 Gross Vehicle Weight Rating (GWR) (kg) 1950 1950 EXTERIOR Length (mm) 4580 4415 Width (mm) without mirrors 1740 1740 Width (mm) with mirrors 1976 1976 Height (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Legron: Front (mm)	Fuel tank capacity (L)	64	64	
Curb weight: Automatic transmission (kg) 1420 1420 Gross Vehicle Weight Rating (GWR) (kg) 1950 1950 EXTERIOR Length (mm) 4580 4415 Width (mm) without mirrors 1976 1976 Width (mm) with mirrors 1976 1976 Height (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.3 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (mm) 954 954 Legroom: Front (mm) 105 1105 Legroom: Front (mm) 852 852 Shoulder room: Front (mm) 1351 1351 Hip room: Front (mm) </td <td>GENERAL WEIGHTS</td> <td></td> <td></td>	GENERAL WEIGHTS			
Curb weight: Automatic transmission (kg) 1420 1420 Gross Vehicle Weight Rating (GWR) (kg) 1950 1950 EXTERIOR Length (mm) 4580 4415 Width (mm) without mirrors 1976 1976 Width (mm) with mirrors 1976 1976 Height (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.3 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (mm) 954 954 Legroom: Front (mm) 105 1105 Legroom: Front (mm) 852 852 Shoulder room: Front (mm) 1351 1351 Hip room: Front (mm) </td <td>Curb weight: Manual transmission (kg)</td> <td>1390</td> <td>1390</td>	Curb weight: Manual transmission (kg)	1390	1390	
EXTERIOR 4580 4415 Width (mm) without mirrors 1740 1740 Width (mm) with mirrors 1976 1976 Height (mm) 1475 1475 Wheelbase (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turnig circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 2.8 2.8 Steering: Turnig circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 10.6 10.6 Drag coefficient (cd) 9.3 9.8 Headroom: Front (mm) 9.8 9.8 Headroom: Front (mm) 9.9 9.8 Legroom: Rear (mm) 9.5 9.5 Legroom: Rear (mm) 10.5 10.5 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Rear (mm) 1351 1351 <td>Curb weight: Automatic transmission (kg)</td> <td>1420</td> <td>1420</td>	Curb weight: Automatic transmission (kg)	1420	1420	
Length (mm) 4580 4415 Width (mm) with out mirrors 1740 1740 Width (mm) with mirrors 1976 1976 Height (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turnis (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 3.3 3.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (mm) 1923 1923 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Front (mm) 1105 1105 Legroom: Front (mm) 1105 1105 Legroom: Front (mm) 1392 1392 Shoulder room: Front (mm) 1351 1351 Hip room: Front (mm) 1356 1356	Gross Vehicle Weight Rating (GVWR) (kg)	1950	1950	
Length (mm) 4580 4415 Width (mm) with out mirrors 1740 1740 Width (mm) with mirrors 1976 1976 Height (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turnis (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 3.3 3.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (mm) 1923 1923 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Front (mm) 1105 1105 Legroom: Front (mm) 1105 1105 Legroom: Front (mm) 1392 1392 Shoulder room: Front (mm) 1351 1351 Hip room: Front (mm) 1356 1356	EXTERIOR			
Width (mm) without mirrors 1740 1740 Width (mm) with mirrors 1976 1976 Height (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turnis (lock-to-lock) 2.8 2.8 Steering: Turnis (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Front (with sunroof) (mm) 994 954 Legroom: Front (mm) 1105 1105 Legroom: Front (mm) 1105 1105 Legroom: Front (mm) 1392 1392 Shoulder room: Front (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Front (mm) 1356 1356		4580	4415	
Width (mm) with mirrors 1976 1976 Height (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Front (with sunroof) (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Front (mm) 852 852 Shoulder room: Front (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353	•			
Height (mm) 1475 1475 Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Front (with sunroof) (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Front (mm) 852 852 Shoulder room: Front (mm) 135 1351 Hip room: Front (mm) 135 1356 Hip room: Front (mm) 135 1356				
Wheelbase (mm) 2620 2620 Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turnis (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Front (with sunroof) (mm) 954 954 Legroom: Rear (mm) 105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Front (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353				
Track: Front (mm) 1495 1495 Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Front (with sunroof) (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353	-			
Track: Rear (mm) 1495 1495 Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Rear (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353				
Minimum ground clearance (at curb weight) (mm) 155 155 Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Rear (mm) 954 954 Legroom: Rear (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353				
Steering: Turns (lock-to-lock) 2.8 2.8 Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Rear (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353				
Steering: Turning circle (curb-to-curb) (m) 10.6 10.6 Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Rear (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353				
Drag coefficient (cd) 0.33 0.34 INTERIOR Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Rear (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353	-			
Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Rear (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353	Drag coefficient (cd)			
Headroom: Front (mm) 1023 1023 Headroom: Front (with sunroof) (mm) 998 998 Headroom: Rear (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353	INTERIOR			
Headroom: Front (with sunroof) (mm) 998 998 Headroom: Rear (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353		1023	1023	
Headroom: Rear (mm) 954 954 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353				
Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353				
Legroom: Rear (mm) (minimum) 852 852 Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353				
Shoulder room: Front (mm) 1392 1392 Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353	•			
Shoulder room: Rear (mm) 1351 1351 Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353	-			
Hip room: Front (mm) 1356 1356 Hip room: Rear (mm) 1353 1353				
Hip room: Rear (mm) 1353 1353				
·				
	•			

Standard

Not Available

Product details based on the latest information available at the time of publication and	nge without notice or incurring obligation. © 2010 Subaru Canada, Inc.
iils bas	o chan
Product deta	are subject to change

	1	
	2	2.5i
	4-door	5-door
CARGO AREA		
EPA trunk volume (L)	320	-
Cargo volume (seats up) (L)	-	538
Cargo volume (seats folded flat) (L)	-	1257
Floor length (seats folded flat) (mm)	1527	1527
Floor length (seats up) (mm)	-	805
Height (at liftgate) (mm)	-	675
Liftgate opening width (at beltline) (mm)	-	1050
Width between wheel wells (mm)	-	1067
Trunk lift over height (mm)	697	-
GEAR RATIOS		
Manual Transmission (5MT):		
First Gear	3.454	3.454
Second Gear	2.062	2.062
Third Gear	1.448	1.448
Fourth Gear	1.088	1.088
Fifth Gear	0.780	0.780
Reverse Gear	3.333	3.333
Final Drive Ratio	3.900	3.900
Automatic Transmission with Manual Mode (4EAT):		
First Gear	2.785	2.785
Second Gear	1.545	1.545
Third Gear	1.000	1.000
Fourth Gear	0.694	0.694
Reverse Gear	2.272	2.272
Final Drive Ratio	4.111	4.111

EXTERIOR COLOURS



Camellia Red Pearl




Dark Grey Metallic



Marine Blue Pearl



Obsidian Black Pearl



Satin White Pearl



Spark Silver Metallic



World Rally Blue Pearl

UPHOLSTERY



Ebony Cloth



Black Leather

WHEELS



16-inch Steel (2.5i)



16-inch Aluminum Alloy (2.5i Convenience Package, 2.5i Sport Package)



17-inch Aluminum Alloy (2.5i Limited Package)

VEHICLE ORDERING GUIDE 2011 IMPREZA

VEHICLE PRICING

MODEL		ENGINE	TRANSMISSION	MSRP
2.5i	4-door	2.5L SOHC	5MT	\$20,995
	4-door	2.5L SOHC	4EAT	\$22,095
	5-door	2.5L SOHC	5MT	\$21,895
	5-door	2.5L SOHC	4EAT	\$22,995
2.5i Convenience Package	4-door	2.5L SOHC	5MT	\$21,995
	4-door	2.5L SOHC	4EAT	\$23,095
	5-door	2.5L SOHC	5MT	\$22,895
	5-door	2.5L SOHC	4EAT	\$23,995
2.5i Sport Package	4-door	2.5L SOHC	5MT	\$24,695
	4-door	2.5L SOHC	4EAT	\$25,795
	5-door	2.5L SOHC	5MT	\$25,595
	5-door	2.5L SOHC	4EAT	\$26,695
2.5i Limited Package	4-door	2.5L SOHC	5MT	\$26,695
	4-door	2.5L SOHC	4EAT	\$27,795
	5-door	2.5L SOHC	5MT	\$27,595
	5-door	2.5L SOHC	4EAT	\$28,695

ALL PRICES ALONG WITH SPECIFICATIONS ARE SUBJECTTO CHANGE WITHOUT NOTICE. THE DEALER MAY SELL BELOW SUGGESTED RETAIL WITHOUT FEAR OF RECRIMINATION FROM SUBARU CANADA, INC. MSRP SHOWN EXCLUDES EXCISE TAX FOR AIR CONDITIONING, INLAND FREIGHT AND PRE-DELIVERY CHARGES. MSRP DOES NOT INCLUDE APPLICABLE TAXES.

COLOUR AVAILABILITY

			4-DOOR			5-DOOR			
			2.5i				2.5i		
			Convenience Package	Sport Package	Limited Package		Convenience Package	Sport Package	Limited Package
EXTERIOR COLOUR	COLOUR CODE								
Camellia Red Pearl	9Z	A	A	A	A	A	A	A	A
Dark Grey Metallic	1K	A	A	A	A	A	A	A	A
Marine Blue Pearl	9H	A	A	-	-	A	A	-	-
Obsidian Black Pearl	2J	A	A	A	A	A	A	A	A
Satin White Pearl	7J	A	A	A	A	A	A	A	A
Spark Silver Metallic	35	A	A	A	A	A	A	A	A
World Rally Blue Pearl	2C	A	A	A	A	A	A	A	A
INTERIOR TRIM		Cloth	Cloth	Cloth	Leather	Cloth	Cloth	Cloth	Leather

▲ : Ebony/Black interior