MODEL SELECT NEW OR REVISED FEATURES (see specifications for complete list) All models • Hill Holder system (new on CVT models) • New colours: Crystal Black Silica, Venetian Red Pearl • Discontinued colours: Camellia Red Pearl, Obsidian Black Pearl Impreza 2.0i • Bluetooth® mobile phone connectivity with steering wheel-integrated controls • MediaHub for iPod®/USB audio integration with Bluetooth® streaming audio Impreza 2.0i Touring Package • No changes



Impreza 2.0i Sport Package



• No changes





- Voice activated, in-dash GPS navigation system with 6.1-inch high-resolution touch screen, AM/FM/CD/MP3/WMA/DivX®, WMV, MP4, SMS text messaging capability, XM® NAVTraffic, Bluetooth® mobile phone connectivity with voice activation, Bluetooth® streaming audio, 3.5mm auxiliary jack, USB and rear-view camera
- XM® Satellite Radio installed (free 3-month trial subscription included)



Impreza 2.0i Limited Package shown

- With increased visibility of the front turn signals, the new Impreza offers enhanced safety for you and other drivers on the road.
- The overall exterior of this year's Impreza has been improved to give drivers greater visibility in all driving situations.
- Weight reduction, combined with the Lineartronic® CVT in the all-new Impreza, equals excellent fuel economy. Models equipped with the Lineartronic® CVT will see a 30% improvement in mileage over previous models. That means 5.5 L/100 km on the highway and 7.5 L/100 km in the city.
- New tires and rims on the 2.0i Sport and Touring Packages offer a more stylish look and better handling for both city and highway driving.
- By paying close attention to aerodynamics, fuel economy and overall handling are just a few of the continuous improvements found on this year's Impreza.



- With flat-folding, 60/40 split rear seats, the new Impreza allows a greater range of options, for carrying anything from groceries to outdoor gear.
- With more air bags and improved safety systems in the new Impreza, Subaru shows their commitment to enhancing driver comfort and control.
- The Impreza offers a new audio system that features voice activated, in-dash navigation, XM® Satellite Radio, XM® NavTraffic, Bluetooth® mobile phone connectivity with voice activation, and a rear-view camera.
- With more trunk volume than ever before, the 2013 Impreza offers real-world capabilities for storage and usability.
- Although the wheelbase has been extended, the overall length of the Impreza has stayed the same. Rear passengers will enjoy added leg and hip room to make the trip even more comfortable.

4-door

Manual	2.0i	2.0i Touring Package	2.0i Sport Package	2.0i Limited Package
Transmission	2.0L DOHC	2.0L DOHC	2.0L DOHC	2.0L DOHC
	5MT - DF1 BP	5MT – DF1 TP	5MT – DF1 SP	5MT – DF1 LP
Automatic	2.0i	2.0i Touring Package	2.0i Sport Package	2.0i Limited Package
Transmission	2.0L DOHC	2.0L DOHC	2.0L DOHC	2.0L DOHC
	CVT – DF2 BP	CVT – DF2 TP	CVT – DF2 SP	CVT - DF2 LP

5-door

Manual	2.0i	2.0i Touring Package	2.0i Sport Package	2.0i Limited Package
Transmission	2.0L DOHC	2.0L DOHC	2.0L DOHC	2.0L DOHC
	5MT – DG1 BP	5MT - DG1 TP	5MT - DG1 SP	5MT - DG1 LP
Automatic	2.0i	2.0i Touring Package	2.0i Sport Package	2.0i Limited Package
Transmission	2.0L DOHC	2.0L DOHC	2.0L DOHC	2.0L DOHC
	CVT - DG2 BP	CVT - DG2 TP	CVT – DG2 SP	CVT - DG2 LP

Impreza 2.0i

Horizontally opposed, 4-cylinder, 2.0L SUBARU BOXER engine with Dual Active Valve Control

148 horsepower and 145 lb-ft of torque

5-speed Manual Transmission (5MT) or optional Lineartronic® CVT (Continuously Variable Transmission)

Subaru symmetrical full-time All-Wheel Drive

Hill Holder system

Front stabilizer bar

Vehicle Dynamics Control system (integrated stability and traction control)

Anti-lock Braking System, Electronic Brake-force Distribution (EBD),

Brake Assist and Brake override system

Brakes (front): Ventilated discs (277 x 24 mm), dual-piston calipers Brakes (rear): Solid discs (274 x 10 mm), single-piston calipers

Driver and front passenger front and side-impact airbags; side curtain airbags and driver's side knee airbag

Hexagonal design grille with black surround and painted wing insert

Whiplash-reducing front seats with height- and tilt-adjustable head restraints Engine immobilizer system and anti-theft security system

15-inch steel wheels with wheel covers and Yokohama® Avid S33 All-Season tires

Power-adjustable, foldable, heated, body-colour door mirrors

Body-colour door handles

Roofline rear spoiler with integrated brake light (5-door)

Advanced AM/FM/CD/MP3/WMA audio system with 4 speakers and steering wheel-integrated audio controls

MediaHub for iPod®/USB audio integration with Bluetooth® streaming audio Bluetooth® mobile phone connectivity with steering wheel-integrated controls Air conditioning with air filtration

Tilt-adjustable and telescoping steering wheel with integrated cruise control 60/40-split, flat-folding rear seats

Ebony cloth upholstery

Touring Package: Available on 2.0i

16-inch aluminum alloy wheels with Yokohama® Avid S30 All-Season tires

6-speaker system

Illuminated glove box and ignition ring

Windshield wiper de-icer

Rear stabilizer bar

Retractable cargo cover (5-door)

Rear-seat centre armrest

Automatic headlights

Hexagonal design grille with painted surround and chrome wing insert

Cloth door trim

Paddle shifters (CVT-equipped models)

Heated front seats

Chrome interior door handles

Sport Package: Available on 2.0i

17-inch aluminum alloy wheels with Yokohama® Avid S34 All-Season tires

Aerodynamic body-colour side ground effects

Stainless steel exhaust tip (4-door)

Windshield wiper de-icer

Low-profile rear spoiler with integrated brake light (4-door)

Power tilting and sliding glass sunroof

Multi-reflector halogen fog lights

6-speaker system

Rear stabilizer bar

Paddle shifters (CVT-equipped models)

Hexagonal design grille with painted surround and chrome wing insert

Rear seat centre armrest

Leather-wrapped gear selector and steering wheel

Heated front seats

Retractable cargo cover (5-door)

Automatic climate control

Sport gauges

4.3-inch multi-function display with steering wheel-mounted controls

Sliding front centre armrest

Large roofline spoiler with integrated brake light (5-door)

Illuminated ignition ring glovebox

Cloth door trim

Chrome interior door handles

Limited Package: Available on 2.0i

17-inch aluminum alloy wheels with Yokohama® Avid S34 All-Season tires

Aerodynamic body-colour side ground effects

Stainless steel exhaust tip (4-door)

Windshield wiper de-icer

Leather-wrapped gear selector and steering wheel

Dual-zone automatic climate control

Retractable cargo cover (5-door)

HID headlights (low-beam)

4.3-inch multi-function display with steering wheel-mounted controls

Multi-reflector halogen fog lights

Rear stabilizer bar

Paddle shifters (CVT-equipped models)

Hexagonal designed grille with painted surround and chrome wing insert

Power tilting and sliding glass sunroof

Door mirrors with LED-integrated turn signals

Voice activated, in-dash GPS navigation system with 6.1-inch high-resolution touch screen, AM/FM/CD/MP3/WMA/DivX®, WMV, MP4, SMS text messaging capability, XM® NAVTraffic, Bluetooth® mobile phone connectivity with voice activation, Bluetooth® streaming audio, 3.5mm auxiliary jack,

USB and rear-view camera

XM® Satellite Radio installed (free 3-month trial subscription included)

6-speaker system

Leather seating surfaces with silver stitching

Sport gauges

Sliding front centre armrest

Illuminated ignition ring glovebox

Leather door trim

Heated front seats

Rear seat centre armrest

Chrome interior door handles

	2.	0i
	4-door	5-door
ENGINE		
Engine: 2.0L Dual Overhead Cam (DOHC), 16-valve, horizontally opposed, 4-cylinder SUBARU BOXER engine, Electronic Throttle Control and Dual Active Valve Control system (Dual AVCS), timing chain	•	•
Power: 148 hp @ 6200 rpm		
Emissions: Meets Low Emission Vehicle (LEV2) standards	•	•
Engine mounts: Solid rubber	•	•
Engine mounts: Liquid-filled rubber (CVT-equipped models)	•	•
Fuel injection: Sequential multiport	•	•
Ignition system: Distributorless electronic	•	•
Spark plugs: Platinum-tipped	•	•
TRANSMISSION AND DRIVETRAIN		
5-speed Manual Transmission (5MT) with Hill Holder system	•	•
Flexible flywheel	•	•
Fully synchronized, including reverse	•	•
Hydraulically operated, dry single-plate disc clutch	•	•
Starter interlock system (clutch pedal controlled)	•	•
Subaru symmetrical full-time All-Wheel Drive system: Viscous-coupling limited-slip centre differential	•	•
Lineartronic® Continuously Variable Transmission (CVT) with Hill Holder system	0	0
Lineartronic® Continuously Variable Transmission (CVT) with Hill Holder system, Manual Mode and paddle shift controls	TP/SP/LP (option)	TP/SP/LP (option
Lock-up torque converter	0	0
Transmission shift lock	0	0
Subaru symmetrical full-time All-Wheel Drive system: Electronically controlled multi-plate transfer clutch (MPT)	0	0
Differential (rear): Standard open type	•	•

	2.0	i
CUACCIC	4-door	5-door
CHASSIS		
Brake Override System	•	•
Brakes: Power-assisted, dual-diagonal system	•	•
Brakes: ABS, 4-channel/4-sensor/4-wheel	•	•
Brakes: Electronic Brake-force Distribution (EBD)	•	•
Brakes: Brake Assist	•	•
Brakes (front): Ventilated discs (277 x 24 mm), dual-piston calipers	•	•
Brakes (rear): Solid discs (274 x 10 mm), single-piston calipers	•	•
Steering: Speed sensitive, electric, power rack and pinion	•	•
Structure: Advanced ring-shaped reinforcement frame	•	•
Structure: Dual, side-impact door beams (front and rear)	•	•
Structure: Energy-absorbing crumple zones (front and rear)	•	•
Suspension: 4-wheel fully independent	•	•
Suspension (front): MacPherson strut with steel lower L-arm	•	•
Suspension (front): Re-bound springs	TP/SP/LP	TP/SP/LP
Suspension (front): Stabilizer bar	•	•
Suspension (rear): Double-wishbone	•	•
Suspension (rear): Stabilizer bar	TP/SP/LP	TP/SP/LP
SAFETY AND SECURITY		
Airbags (SRS): Driver dual-stage deployment	•	•
Airbags (SRS): Driver knee	•	•
Airbags (SRS): Front passenger dual-stage deployment with occupant detection system	•	•
Airbags (SRS): Front seat side-impact	•	•
Airbags (SRS): Side curtain	•	•
Assist grips: Outboard seating positions	•	•
Brake pedal: Collapsible	•	•
Child safety: Rear door locking system	•	•
Child safety: Rear seat ISO-FIX/LATCH anchor system	•	•
Driver's footrest: Impact-absorbing	•	•
Head restraints (front): Height and tilt-adjustable	•	•
Head restraints (rear): Height-adjustable	•	•
Seats (front): Whiplash-reducing	•	•
Seatbelts (front): 3-point with pretensioners and load limiters (Driver – ELR / Passenger – ALR)	•	•
Seatbelts (front): Height-adjustable shoulder belt anchors	•	•
Seatbelts (rear): 3-point, all seating positions (ALR)	•	•
Seatbelts (rear): Integrated outboard shoulder belt anchors	•	•
Security: Anti-theft system	•	•
Security: Engine immobilizer system	•	•
Security: Keyless entry system with panic alarm	•	•
, , , , , , , , , , , , , , , , , , , ,		

	2.0	Di
	4-door	5-door
SAFETY AND SECURITY (continued)		
Steering column: Collapsible	•	•
Trunk: Internal safety release with self-illuminating handle (4-door)	•	-
Traction Control System	•	•
Vehicle Dynamics Control system with lateral-g and yaw-rate sensor	•	•
EXTERIOR FEATURES		
Badging (rear): Symmetrical AWD	•	•
Body: Anti-corrosion treatment	•	•
Body: Dual-sided galvanized steel	•	•
Bumper (rear): Black lower valance	-	•
Cargo access: Trunk	•	_
Cargo access: Liftgate	-	•
Door handles: Body colour	•	•
Door handles: Chrome	LP	LP
Door mirrors: LED integrated turn signals	LP	LP
Door mirrors: Power-adjustable, foldable and heated (body colour)	•	•
Exhaust: Single outlet muffler	•	_
Exhaust: Single outlet muffler (hidden type)	-	•
Exhaust: Stainless steel tip 1	SP/LP	_
Fog lights: Multi-reflector halogen 1	SP/LP	SP/LP
Grille: Hexagonal design with black surround and painted wing insert	•	•
Grille: Hexagonal design with painted surround and chrome wing insert	TP/SP/LP	TP/SP/LP
Headlights: Auto-off with ignition switch	•	•
Headlights: Fully automatic	TP/SP/LP	TP/SP/LP
Headlights: Daytime Running Lights (DRL)	•	•
Headlights: Contoured multi-reflector halogen	•	•
Headlights: Contoured multi-reflector Xenon High Intensity Discharge (HID) (low beam) with auto leveling	LP	LP
Hood: Dual-sided galvanized steel	•	•
Hood: Insulator (CVT only)	•	•
Roof rack: Integrated crossbar brackets	-	•
Sunroof: Glass, power tilting and sliding with sunshade	SP/LP	SP/LP
Side moulding: Aerodynamic side ground effects (body colour)	SP/LP	SP/LP
Spoiler: Large roofline, integrated brake light	_	SP
Spoiler: Low-profile, integrated brake light	SP	-
Spoiler: Roofline, integrated brake light	_	•

Product details based on the latest information available at the time of publication and are subject to change without notice or incurring obligation. © 2012 Subaru Canada, Inc.

Trunk trim: Chrome

LP

	2.0	0i
	4-door	5-door
EXTERIOR FEATURES (continued)		
Tire (spare): Yokohama® T135/80 D16	•	•
Tires: 195/65 R15 89H Yokohama® Avid S33 All-Season tires	•	•
Tires: 205/55 R16 89V Yokohama® Avid S30 All-Season tires	TP	TP
Tires: 205/50 R17 88V Yokohama® Avid S34 All-Season tires	SP/LP	SP/LP
Wheels: 15" x 6" steel with wheel covers, 7-spoke design	•	•
Wheels: 16" x 6.5" aluminum alloy, 10-spoke design	TP	TP
Wheels: 17" x 7" aluminum alloy, 15-spoke design	SP/LP	SP/LP
Windshield: Laminated UV protection and tinted	•	•
Windshield: Wiper de-icer	TP/SP/LP	TP/SP/LP
Window (rear): Defogger with timer	•	•
Wipers (windshield): Variable intermittent with washer	•	•
Wiper (rear window): Fixed intermittent and continuous mode with washer, speed sensitive with rearview assist	-	•
SEATING AND TRIM		
Accents/trim: Titanium finish	•	•
Door handles: Black	•	•
Door handles: Chrome	TP/SP/LP	TP/SP/LP
Door trim: Cloth	TP/SP	TP/SP
Door trim: Leather	LP	LP
Floor mats: Impreza embroidered	•	•
Interior: Ebony cloth	•	•
Interior: Leather seating surfaces	LP	LP
Gear selector: Soft-grip	•	•
Gear selector: Leather-wrapped	SP/LP	SP/LP
Parking brake: Soft-grip	•	•
Seat (driver's): 6-way manually adjustable	•	•
Seat (front): Passenger, 4-way manually adjustable	•	•
Seats (front): Heated with high/low level settings	TP/SP/LP	TP/SP/LP
Seats (front): Reclining bucket	•	•
Seats (rear): 60/40-split, flat-folding	•	•
Seats (rear): Centre armrest with integrated cup holders	TP/SP/LP	TP/SP/LP
Steering wheel: Soft-grip	•	•
Steering wheel: Leather-wrapped	SP/LP	SP/LP

Also available as an accessory

	2.0	0i
	4-door	5-door
AUDIO AND TECHNOLOGY		
Audio: Advanced AM/FM/CD/MP3/WMA system	•	•
Antenna: Roof-mounted	•	•
Auxiliary input: Audio source in armrest console	•	•
Audio controls: Illuminated, steering wheel integrated	•	•
Bluetooth® mobile phone connectivity with steering wheel-integrated controls	•	•
MediaHub for iPod®/USB audio integration with Bluetooth® streaming audio	•	•
Multimedia system: Voice activated, in-dash GPS navigation system with 6.1-inch high-resolution touch screen, AM/FM/CD/MP3/WMA/DivX®, WMV, MP4, SMS text messaging capability, XM® NAVTraffic, Bluetooth® mobile phone connectivity with voice activation, Bluetooth® streaming audio, 3.5mm auxiliary jack, USB and rear-view camera	LP	LP
Rear view camera (MFD display)	LP	LP
Satellite radio: XM® Satellite Radio installed (free 3-month trial subscription included)	LP	LP
Speakers: 4-speaker system	•	•
Speakers: 6-speaker system	TP/SP/LP	TP/SP/LP
Radio Data System	•	•
Vehicle-speed-sensitive volume	•*	•*
COMFORT AND CONVENIENCE		
Armrest (front): With console storage	•	•
Armrest (front): Console storage (adjustable)	SP/LP	SP/LP
Bottle holders (front): Door integrated (2)	•	•
Bottle holders (rear): Door integrated (2)	•	•
Climate control: Air conditioning with air filtration	•	•
Climate control: Automatic	SP	SP
Climate control: Dual-zone automatic	LP	LP
Climate control: Rear seat heating / ventilation / air conditioning ducts	•	•
Cruise control: Steering wheel integrated	•	•
Cup holders (front): Console integrated (2)	•	•
Glove box: Lockable	•	•
Glove box: Lockable and illuminated	TP/SP/LP	TP/SP/LP
Ignition key ring: Illuminated	TP/SP/LP	TP/SP/LP
Light: Interior dome with off delay	•	•
Light: Map spotlights	•	•
Pedal: Driver's footrest	•	•
Power outlet: 12V in armrest console and in dash	•	•
Steering wheel: Tilt-adjustable and telescoping	•	•
Storage: Coin tray, centre console	•	•
Storage: Door compartments (front)	•	•
Storage: Passenger seatback pocket	•	•
Visor: Dual, with mirrors	•	•
Windows (power): Driver's window auto up/down	•	•

Standard

Standard with Touring Package SP Not Available

Standard with Sport Package LP Standard with Limited Package

Also available as an accessory

Not available on Limited Package

1 | 8 | 2012

INSTRUMENTS Sauges: Analog with red illuminated needles and red backlight Sauges: Sur lineedle sweep on start up Sauges: Sur lineedle sweep on start up Sauges: Sur lineedle sweep on start up Spr/LP Information display: Clock, outside temperature, fuel economy (average and real time), travel time, Irvining range, average speed Information display: Clock, outside temperature gauge, maintenance reminder, customizable settings) Spr/LP S			0i
Sauges Analog with red illuminated needles and red backlight \$auges Sport Gauges with red needles and white backlight formation display. Clock, outside temperature, fuel economy (average and real time), travel time, driving range, average speed information display 4.3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, profession display 4.3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, profession display 4.3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, profession display 4.3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, profession display 4.3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, profession display 4.3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, profession display 4.3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, profession display 4.3-inch colour Multi-function display with steering wheel-mounted centrols (fuel data, eco-guide, profession display 4.3-inch colour Multi-function display with steering wheel-mounted centrols (fuel data, eco-guide, profession display 4.3-inch colour display with steering wheel-mounted centrols (fuel data, eco-guide) profession display 4.3-inch display with display and fuel door location indicator (VVI-equipped models) profession to profession the profession display with display and fuel door location indicator (VVI-equipped models) profession to profession the profession display with display and fuel door location indicator (VVI-equipped models) profession the profession than analog and profession the profession display with display and fuel door location indicator (VVI-equipped models) profession than analog and mode indicator (VVI-equipped models) profession than analog and mode indicator (VVI-equipped models) profession than analog a	INCERNIATION	4-door	5-door
Gauges: Full needle sweep on start-up Gauges: Full needle sweep on start-up Gauges: Sport Gauge swith red needles and white backlight Information display: Clock, outside temperature, fuel economy (average and real time), travel time, Information display: Clock, outside temperature, fuel economy (average and real time), travel time, Information display: Clock, outside temperature gauge, maintenance reminder, customizable settings) SP/LP SP/LP Whetheld dynamics: monitor, dock, outside temperature gauge, maintenance reminder, customizable settings) instrument panel: Adjustable deak illumination Instrument panel: ECO gauge instrument panel: Love orgine oil indicator Instrument panel: Invo weighine oil indicator Instrument panel: Now any in evil indicator Instrument panel: Manual Mode gear position and mode indicator (CVI-equipped models) instrument panel: Goolant temperature indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator CD demeter: Bigital, dual trip modes Gaedometer: Bigital, dual trip modes Gaedometer: Booton rically controlled analog inchamation and the service of the se			
Sauges: Sport Gauges with red needles and white backlight finformation display: Clock, outside temperature, fuel economy (average and real time), travel time, driving range, average speed information display: A3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, value) and provided dash illumination instrument panel: Adjustable dash illumination instrument panel: CoO gauge instrument panel: Low engine oil indicator instrument panel: Low engine oil indicator instrument panel: Low engine oil indicator instrument panel: Eco gauge with low fuel warning light and fuel door location indicator instrument panel: Eco gauge with low fuel warning light and fuel door location indicator Odometer: Digital, dual trip modes Speedometer: Electronically controlled analog Sachometer: Bood rpm maximum CARGO AREA Cargo cover: Retractable 1	· · · · · · · · · · · · · · · · · · ·	•	•
Information display: Clock, outside temperature, fuel economy (average and real time), travel time, display: Clock, outside temperature, fuel economy (average and real time), travel time, display: 43-inch rolour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, page). Instrument panel: Adjustable dash illumination instrument panel: Ecol gauge instrument panel: Ecol gauge instrument panel: Ecol gauge instrument panel: Ecol gauge instrument panel: Manual Mode gear position and mode indicator (CVT-equipped models) instrument panel: Manual Mode gear position and mode indicator (CVT-equipped models) instrument panel: Ecol gauge with low fuel warning light and fuel door location indicator instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator		•	•
Information display: 4.3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, echelic dynamics monitor, clock, outside temperature gauge, maintenance reminder, customizable settings) Instrument panel: Adjustable dash illumination Instrument panel: ECO gauge Instrument panel: ECO gauge Instrument panel: ECO gauge Instrument panel: Manual Mode gear position and mode indicator (CVI-equipped models) Instrument panel: Manual Mode gear position and mode indicator (CVI-equipped models) Instrument panel: Coolant temperature indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Coolant temperature		SP/LP	SP/LP
whelice dynamics monitor, clock, outside temperature gauge, maintenance reminder, customizable settings) instrument panel: Adjustable dash illumination instrument panel: EQO gauge	Information display: Clock, outside temperature, fuel economy (average and real time), travel time, driving range, average speed	•	•
Instrument panel: ECO gauge Instrument panel: Low engine oil indicator Instrument panel: Manual Mode gear position and mode indicator (CVT-equipped models) Instrument panel: Manual Mode gear position and mode indicator (CVT-equipped models) Instrument panel: Coolant temperature indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Odometer: Digital, dual trip modes Instrument panel: Electronically controlled analog Instrument panel: Electronically controlled controlled controlled controlled controlled analog Instrument panel: Electronically controlled contr	Information display: 4.3-inch colour Multi-function display with steering wheel-mounted controls (fuel data, eco-guide, vehicle dynamics monitor, clock, outside temperature gauge, maintenance reminder, customizable settings)	SP/LP	SP/LP
Instrument panel: Low engine oil Indicator Instrument panel: Manual Mode gear position and mode indicator (CVT-equipped models) Instrument panel: Coolant temperature indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with location indicator Instrument panel: Fuel gauge with location indicator Instrument panel: Fuel gauge with loc	Instrument panel: Adjustable dash illumination	•	•
Instrument panel: Manual Mode gear position and mode indicator (CVT-equipped models) Instrument panel: Coolant temperature indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument: Digital, dual trip modes Instrument: Digital, dual trip modes Instrument: Boot on the part of	Instrument panel: ECO gauge	•	•
Instrument panel: Coolant temperature indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument: Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument: Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator Instrument panel: Fuel gauge with low fuel door location indicator indicator Instrument panel: Fuel gauge with low fuel door location indicator indicator Instrument panel: Fuel gauge with low fuel door location indicator indicator Instrument panel: Fuel gauge with low fuel door location indicator indicator Instrument panel: Fuel gauge with location indicator	Instrument panel: Low engine oil indicator	•	•
Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator Deformeter: Digital, dual trip modes Speedometer: Electronically controlled analog Iachometer: 8000 rpm maximum CARGO AREA Cargo CAREA Cargo cover: Retractable 1	Instrument panel: Manual Mode gear position and mode indicator (CVT-equipped models)	•	•
Odometer: Digital, dual trip modes • • Speedometer: Electronically controlled analog • • Iachometer: 8000 rpm maximum • • CARGO AREA Cargo tere down hooks (2) - •	Instrument panel: Coolant temperature indicator	•	•
Speedometer: Electronically controlled analog ● ● fachometer: 8000 rpm maximum ● ● CARGO AREA - TP/SP/LP Cargo cover: Retractable 1 - ● Cargo tie-down hooks (2) - ● Light: Trunk ● - ● Remote trunk release, floor-mounted (driver's side) - ● Weasurements Measurements FUEL ECONOMY Manual transmission (City/Hwy) (L/100 km) 8.3/5.9 8.3/5.9 Manual transmission (City/Hwy) (Imperial MPG) 34/48 34/48 Automatic transmission (City/Hwy) (Imperial MPG) 38/51 38/51 Automatic transmission (City/Hwy) (Imperial MPG) 38/51 38/51 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 55 55 SENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Instrument panel: Fuel gauge with low fuel warning light and fuel door location indicator	•	•
CARGO AREA Cargo cover: Retractable 1 - TP/SP/LP Cargo tie-down hooks (2) Light: Trunk Light: Cargo area, on/off switch Remote trunk release, floor-mounted (driver's side) Lithity hooks (4) Measurements FUEL ECONOMY Manual transmission (City/Hwy) (I/100 km) 8.3/5.9 8.3/5.9 Manual transmission (City/Hwy) (I/100 km) 7.5/5.5 7.5/5.5 Automatic transmission (City/Hwy) (I/100 km) 7.5/5.5 7.5/5.5 Automatic transmission (City/Hwy) (I/mperial MPG) 38/51 38/51 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 55 55 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Odometer: Digital, dual trip modes	•	•
CARGO AREA Cargo cover: Retractable 1	Speedometer: Electronically controlled analog	•	•
Cargo cover: Retractable ₁ — TP/SP/LP Cargo tie-down hooks (2) — ● Light: Trunk ● — Light: Cargo area, on/off switch — ● Remote trunk release, floor-mounted (driver's side) ● — Utility hooks (4) — ● Measurements FUEL ECONOMY Manual transmission (City/Hwy) (L/100 km) 8.3/5.9 8.3/5.9 Manual transmission (City/Hwy) (Imperial MPG) 34/48 34/48 Automatic transmission (City/Hwy) (Imperial MPG) 38/51 38/51 Fuel tank capacity (L) 55 55 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Tachometer: 8000 rpm maximum	•	•
Cargo tie-down hooks (2) Light: Trunk Light: Cargo area, on/off switch Remote trunk release, floor-mounted (driver's side) Measurements FUEL ECONOMY Manual transmission (City/Hwy) (L/100 km) Manual transmission (City/Hwy) (L/100 km) Manual transmission (City/Hwy) (L/100 km) Automatic transmission (City/Hwy) (L/100 km) Recommended minimum octane (AKI) (*required octane) Fuel tank capacity (L) SEGENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	CARGO AREA		
Light: Trunk Light: Cargo area, on/off switch Remote trunk release, floor-mounted (driver's side) Litility hooks (4) — Utility hooks (4) — Utility hooks (4) — Weasurements FUEL ECONOMY Manual transmission (City/Hwy) (L/100 km) Manual transmission (City/Hwy) (Imperial MPG) Manual transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (Imperial MPG) Recommended minimum octane (AKI) (*required octane) Fuel tank capacity (L) SERNERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Cargo cover: Retractable 1	_	TP/SP/LP
Light: Cargo area, on/off switch Remote trunk release, floor-mounted (driver's side) — Utility hooks (4)	Cargo tie-down hooks (2)	_	•
Remote trunk release, floor-mounted (driver's side) — Utility hooks (4) — Measurements FUEL ECONOMY Manual transmission (City/Hwy) (L/100 km) Manual transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (L/100 km) Automatic transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (Imperial MPG) Recommended minimum octane (AKI) (*required octane) Fuel tank capacity (L) SERIERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Light: Trunk	•	_
Utility hooks (4) — ● Measurements FUEL ECONOMY Manual transmission (City/Hwy) (L/100 km) 8.3/5.9 8.3/5.9 Manual transmission (City/Hwy) (Imperial MPG) 34/48 34/48 Automatic transmission (City/Hwy) (L/100 km) 7.5/5.5 7.5/5.5 Automatic transmission (City/Hwy) (Imperial MPG) 38/51 38/51 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 55 55 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Light: Cargo area, on/off switch	-	•
Measurements FUEL ECONOMY Manual transmission (City/Hwy) (L/100 km) Manual transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (Imperial MPG) Recommended minimum octane (AKI) (*required octane) Fuel tank capacity (L) SEENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Remote trunk release, floor-mounted (driver's side)	•	-
FUEL ECONOMY Manual transmission (City/Hwy) (L/100 km) Manual transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (L/100 km) Automatic transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (Imperial MPG) Recommended minimum octane (AKI) (*required octane) Fuel tank capacity (L) SERIERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Utility hooks (4)	-	•
Manual transmission (City/Hwy) (L/100 km) Manual transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (L/100 km) Automatic transmission (City/Hwy) (Imperial MPG) Recommended minimum octane (AKI) (*required octane) Fuel tank capacity (L) GENERAL WEIGHTS Curb weight: Manual transmission (kg) 8.3/5.9 8.3/6 8.3/6 8.3/6 8.3/5.9 8.3/5.9 8.3/6 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8.	Measurements		
Manual transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (L/100 km) Automatic transmission (City/Hwy) (Imperial MPG) Automatic transmission (City/Hwy) (Imperial MPG) Recommended minimum octane (AKI) (*required octane) Fuel tank capacity (L) GENERAL WEIGHTS Curb weight: Manual transmission (kg) 34/48	FUEL ECONOMY		
Automatic transmission (City/Hwy) (L/100 km) Automatic transmission (City/Hwy) (Imperial MPG) Recommended minimum octane (AKI) (*required octane) Fuel tank capacity (L) S55 S58 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 7.5/5.5 7.5/5. 8.7 8.7 8.7 8.7 8.7 8.7 8.7 8	Manual transmission (City/Hwy) (L/100 km)	8.3/5.9	8.3/5.9
Automatic transmission (City/Hwy) (Imperial MPG) 38/51 38/51 Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 55 55 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Manual transmission (City/Hwy) (Imperial MPG)	34/48	34/48
Recommended minimum octane (AKI) (*required octane) 87 87 Fuel tank capacity (L) 55 55 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Automatic transmission (City/Hwy) (L/100 km)	7.5/5.5	7.5/5.5
Fuel tank capacity (L) 55 55 GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Automatic transmission (City/Hwy) (Imperial MPG)	38/51	38/51
GENERAL WEIGHTS Curb weight: Manual transmission (kg) 1320 1320	Recommended minimum octane (AKI) (*required octane)	87	87
Curb weight: Manual transmission (kg) 1320 1320		55	55
·	GENERAL WEIGHTS		
·	Curb weight: Manual transmission (kg)	1320	1320
	Curb weight: Automatic transmission (kg)	1350	1350

1950

1950

Gross Vehicle Weight Rating (GVWR) (kg)

Width (mm) with mirrors 1740 1740 Width (mm) with mirrors 1988 1988 Width (mm) with ED integrated turn signal mirrors 2002 2002 Height (mm) 1465 1465 Wheelbase (mm) 2645 2645 Track: Front (mm) 1510 1510 Track: Rear (mm) 1515 1515 Minimum ground clearance (at curb weight) (mm) 145 145 Steering: Turnsi (lock-to-lock) 3.2 3.2 3.2 Steering: Turning circle (curb-to-curb) (m) 5.3 5.3 D.3 Drag coefficient (cd) 0.30 0.33 0.33 INTERIOR Headroom: Front (mm) 1010 1010 1010 Headroom: Front (with sunroof) (mm) 946 9			2.0i
Length (mm) 4580 4415 Width (mm) with but mirrors 1740 1740 Width (mm) with mirrors 1988 1988 Width (mm) with ED integrated turn signal mirrors 2002 2002 Height (mm) 1465 1465 Wheelbase (mm) 2645 2645 Track: Potnt (mm) 1510 1510 Track: Rear (mm) 1515 1515 Minimum ground clearance (at curb weight) (mm) 145 145 Steering: Turnis (lock to lock) 3.2 3.2 Steering: Turning circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (rcd) 3.3 5.3 Drag coefficient (rcd) 9.3 9.3 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Front (mm) 1010 1010 Headroom: Front (mm) 1010 1010 Headroom: Front (mm) 1010 1010 Hegroom: Rear (mm) 101 101 <th></th> <th>4-door</th> <th>5-door</th>		4-door	5-door
Width (mm) with mirrors 1740 1740 Width (mm) with LED integrated turn signal mirrors 2002 2002 Width (mm) with LED integrated turn signal mirrors 2002 2002 Wheelbase (mm) 2645 2645 Wheelbase (mm) 1510 1510 Track: Front (mm) 1510 1510 Track: Rear (mm) 1515 1515 Minimum ground clearance (at curb weight) (mm) 145 145 Steering: Turning circle (curb-to-curb) (m) 3.2 3.2 Steering: Turning circle (curb-to-curb) (mm) 5.3 5.3 Drag coefficient (cd) 3.3 5.3 INTERIOR 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 1010 1010 Headroom: Rear (mm) 1015 1105 Legroom: Front (with sunroof) (mm) 900 900 Shoulder room: Rear (mm) 1377 1377 Hip room: Rear (mm) 1326 1326 Kobulder room: Rear (mm) 1326 1326 <td>EXTERIOR</td> <td></td> <td></td>	EXTERIOR		
Width (mm) with LED integrated turn signal mirrors 2002 2002 Height (mm) 1465 1465 Wheelbase (mm) 2645 2645 Track: Front (mm) 1510 1510 Track: Rear (mm) 1515 1515 Minimum ground clearance (at curb weight) (mm) 145 145 Steering: Turns (lock-to-lock) 3.2 3.2 Steering: Turnsing circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (cd) 0.30 0.33 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Front (with sunroof) (mm) 942 957 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Rear (mm) 137 1377 Hip room: Rear (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) (with sunroof) 2744 2763 Volume: EPA passenger	Length (mm)	4580	4415
Width (mm) with LED integrated turn signal mirrors 2002 2002 Height (mm) 1465 1465 Wheelbases (mm) 2645 2645 Track: Front (mm) 1510 1510 Track: Rear (mm) 1515 1515 Minimum ground clearance (at curb weight) (mm) 145 145 Steering: Turns (lock-to-lock) 3.2 3.2 Steering: Turnsing circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (cd) 0.30 0.33 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 942 957 Legroom: Rear (mm) 105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 264 </td <td>Width (mm) without mirrors</td> <td>1740</td> <td>1740</td>	Width (mm) without mirrors	1740	1740
Height (mm) 1465 1465 Wheelbase (mm) 2645 2645 Track: Protr (mm) 1510 1510 Track: Rear (mm) 1515 1515 Minnimum ground clearance (at curb weight) (mm) 145 145 Steering: Turns (lock-to-lock) 3.2 3.2 Steering: Turning circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (cd) 3.0 3.3 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sourcof) (mm) 946 946 Headroom: Rear (mm) 942 957 Legroom: Rear (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Rear (mm) 1377 1377 Hip room: Rear (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sourcof) 264 2643 Cargo volume (seats folded flat) (m) - 638<	Width (mm) with mirrors	1988	1988
Wheelbase (mm) 2645 2645 Track: Front (mm) 1510 1510 Track: Front (mm) 1515 1515 Minimum ground clearance (at curb weight) (mm) 145 145 Steering: Turns (lock to-lock) 3.2 3.2 Steering: Turning circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (rd) 0.30 0.33 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunsof) (mm) 946 946 Headroom: Rear (mm) 190 90 Legroom: Rear (mm) 105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Hilp room: Rear (mm) 1326 1326 Hilp room: Rear (mm) 1326 1326 Hilp room: Rear (mm) 1326 1326 Hilp room: Rear (mm) 340 264 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 340 -	Width (mm) with LED integrated turn signal mirrors	2002	2002
Track: Front (mm) 1510 1515 Track: Rear (mm) 1515 1515 Minimum ground clearance (at curb weight) (mm) 145 145 Steering: Turnis (lock-to-lock) 3.2 3.2 Steering: Turning circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (cd) 0.30 0.33 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 105 1105 Legroom: Front (mm) 900 900 Shoulder room: Rear (mm) (minimum) 900 900 Shoulder room: Rear (mm) 1377 1377 Hip room: Rear (mm) 1326 1326 Hip room: Rear (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 264 2663 CARGO AREA EPA trunk volume (L) - 638	Height (mm)	1465	1465
Track: Rear (mm) 1515 1515 Minimum ground clearance (at curb weight) (mm) 145 145 Steering: Turns (lock-to-lock) 3.2 3.2 Steering: Turning circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (cd) 0.30 0.33 INTERIOR INTERIOR 1010 1010 Headroom: Front (mm) 946 946 Headroom: Rear (mm) 942 957 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Front (mm) 1326 1326 Hip room: Front (mm) 1326 1326 Hip room: Front (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2643 2663 CARGO AREA EPA turnk volume (L) - 638 Cargo volume (seats folded flat) (L) - 1485	Wheelbase (mm)	2645	2645
Minimum ground clearance (at curb weight) (mm) 145 145 Steering: Turns (lock-to-lock) 3.2 3.2 Steering: Turning circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (cd) 0.30 0.33 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 1105 1105 Legroom: Front (mm) 1105 1105 Legroom: Front (mm) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1326 1326 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2643 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats folded flat) (L) - 485 Floor length (seats folded flat) (mm) - 1485	Track: Front (mm)	1510	1510
Steering: Turns(lock-to-lock) 3.2 3.2 Steering: Turning circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (cd) 0.30 0.33 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Front (mm) 1105 1105 Legroom: Front (mm) 100 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Front (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2643 2663 CARGO AREA 2640 2663 CARGO Unime (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats pol) (mm) - 814 Height (at liftgate) (mm) -	Track: Rear (mm)	1515	1515
Steering: Turning circle (curb-to-curb) (m) 5.3 5.3 Drag coefficient (cd) 0.30 0.33 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 942 957 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hij room: Front (mm) 1326 1326 Hij room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 264 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats folded flat) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814	Minimum ground clearance (at curb weight) (mm)	145	145
Drag coefficient (cd) 0.30 0.33 INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 942 957 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats folded flat) (mm) - 814 Height (at liftgate) (mm) - 590	Steering: Turns (lock-to-lock)	3.2	3.2
INTERIOR Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 942 957 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2643 2663 CARGO AREA 2 438 EPA trunk volume (L) - 638 Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 590	Steering: Turning circle (curb-to-curb) (m)	5.3	5.3
Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 942 957 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) — 638 Cargo volume (seats up) (L) — 638 Cargo volume (seats folded flat) (L) — 1485 Floor length (seats folded flat) (mm) — 1630 Floor length (seats up) (mm) — 814 Height (at liftgate) (mm) — 590	Drag coefficient (cd)	0.30	0.33
Headroom: Front (mm) 1010 1010 Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 942 957 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) — 638 Cargo volume (seats up) (L) — 638 Cargo volume (seats folded flat) (L) — 1485 Floor length (seats folded flat) (mm) — 1630 Floor length (seats up) (mm) — 814 Height (at liftgate) (mm) — 590	INTERIOR		
Headroom: Front (with sunroof) (mm) 946 946 Headroom: Rear (mm) 942 957 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) - 638 Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590		1010	1010
Headroom: Rear (mm) 942 957 Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590			
Legroom: Front (mm) 1105 1105 Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590		942	957
Legroom: Rear (mm) (minimum) 900 900 Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590	Legroom: Front (mm)	1105	1105
Shoulder room: Front (mm) 1412 1412 Shoulder room: Rear (mm) 1377 1377 Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590	-	900	900
Hip room: Front (mm) 1326 1326 Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590	Shoulder room: Front (mm)	1412	1412
Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590	Shoulder room: Rear (mm)	1377	1377
Hip room: Rear (mm) 1348 1348 Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 — Cargo volume (seats up) (L) — 638 Cargo volume (seats folded flat) (L) — 1485 Floor length (seats folded flat) (mm) — 1630 Floor length (seats up) (mm) — 814 Height (at liftgate) (mm) — 590	Hip room: Front (mm)	1326	1326
Volume: EPA passenger (L) 2744 2763 Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590		1348	1348
Volume: EPA passenger (L) (with sunroof) 2644 2663 CARGO AREA EPA trunk volume (L) 340 — Cargo volume (seats up) (L) — 638 Cargo volume (seats folded flat) (L) — 1485 Floor length (seats folded flat) (mm) — 1630 Floor length (seats up) (mm) — 814 Height (at liftgate) (mm) — 590	•	2744	2763
EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590	Volume: EPA passenger (L) (with sunroof)	2644	2663
EPA trunk volume (L) 340 - Cargo volume (seats up) (L) - 638 Cargo volume (seats folded flat) (L) - 1485 Floor length (seats folded flat) (mm) - 1630 Floor length (seats up) (mm) - 814 Height (at liftgate) (mm) - 590	CARGO AREA		
Cargo volume (seats up) (L) – 638 Cargo volume (seats folded flat) (L) – 1485 Floor length (seats folded flat) (mm) – 1630 Floor length (seats up) (mm) – 814 Height (at liftgate) (mm) – 590	EPA trunk volume (L)	340	_
Cargo volume (seats folded flat) (L) – 1485 Floor length (seats folded flat) (mm) – 1630 Floor length (seats up) (mm) – 814 Height (at liftgate) (mm) – 590		-	638
Floor length (seats folded flat) (mm) – 1630 Floor length (seats up) (mm) – 814 Height (at liftgate) (mm) – 590	Cargo volume (seats folded flat) (L)	_	
Floor length (seats up) (mm) – 814 Height (at liftgate) (mm) – 590	•	_	
Height (at liftgate) (mm) – 590	Floor length (seats up) (mm)	-	
		_	

Product details based on the latest information available at the time of publication and are subject to change without notice or incurring obligation. © 2012 Subaru Canada, Inc.

Width between wheel wells (mm)

1070

		2.0i	
	4-door	5-door	
GEAR RATIOS			
Manual Transmission (5MT):			
First Gear	3.454	3.454	
Second Gear	1.888	1.888	
Third Gear	1.296	1.296	
Fourth Gear	0.972	0.972	
Fifth Gear	0.738	0.738	
Reverse Gear	3.333	3.333	
Final Drive Ratio	4.111	4.111	
Automatic Transmission with Manual Mode (Lineartronic® CVT):			
First Gear	3.581	3.581	
Second Gear	2.262	2.262	
Third Gear	1.658	1.658	
Fourth Gear	1.208	1.208	
Fifth Gear	0.885	0.885	
Sixth Gear	0.618	0.618	
Reverse Gear	3.667	3.667	
Final Drive Ratio	3.700	3.700	

Also available as an accessory

EXTERIOR COLOURS



Crystal Black Silica



Dark Grey Metallic



Deep Cherry Pearl



Ice Silver Metallic



Marine Blue Pearl



Satin White Pearl



Venetian Red Pearl

UPHOLSTERY



Ebony Cloth



Black Leather



Ivory Leather

WHEELS



15-inch Steel (2.0i)



16-inch Aluminum Alloy (2.0i Touring Package)



17-inch Aluminum Alloy (2.0i Sport Package, 2.0i Limited Package)

1 | 8 | 2012

VEHICLE PRICING

MODEL		ENGINE	TRANSMISSION	MODEL CODE	MSRP
2.0i	4-door	2.0L DOHC	5MT	DF1 BP	\$19,995
	4-door	2.0L DOHC	CVT	DF2 BP	\$21,295
	5-door	2.0L DOHC	5MT	DG1 BP	\$20,895
	5-door	2.0L DOHC	CVT	DG2 BP	\$22,195
2.0i Touring Package	4-door	2.0L DOHC	5MT	DF1 TP	\$21,695
	4-door	2.0L DOHC	CVT	DF2 TP	\$22,995
	5-door	2.0L DOHC	5MT	DG1 TP	\$22,595
	5-door	2.0L DOHC	CVT	DG2 TP	\$23,895
2.0i Sport Package	4-door	2.0L DOHC	5MT	DF1 SP	\$23,895
	4-door	2.0L DOHC	CVT	DF2 SP	\$25,195
	5-door	2.0L DOHC	5MT	DG1 SP	\$24,795
	5-door	2.0L DOHC	CVT	DG2 SP	\$26,095
2.0i Limited Package	4-door	2.0L DOHC	5MT	DF1 LP	\$26,895
	4-door	2.0L DOHC	CVT	DF2 LP	\$28,195
	5-door	2.0L DOHC	5MT	DG1 LP	\$27,795
	5-door	2.0L DOHC	CVT	DG2 LP	\$29,095

ALL PRICES ALONG WITH SPECIFICATIONS ARE SUBJECTTO CHANGE WITHOUT NOTICE. THE DEALER MAY SELL BELOW SUGGESTED RETAIL WITHOUT FEAR OF RECRIMINATION FROM SUBARU CANADA, INC. MSRP SHOWN EXCLUDES EXCISE TAX FOR AIR CONDITIONING, INLAND FREIGHT AND PRE-DELIVERY CHARGES. MSRP DOES NOT INCLUDE APPLICABLE TAXES.

COLOUR AVAILABILITY

			4	l-DOOR			5	5-DOOR		
				2.0i			2.0i			
			Touring Package	Sport Package	Limited Package		Touring Package	Sport Package	Limited Package	
EXTERIOR COLOUR	COLOUR CODE	DF1 BP DF2 BP	DF1 TP DF2 TP	DF1 SP DF2 SP	DF1 LP DF2 LP	DG1 BP DG2 BP	DG1 TP DG2 TP	DG1 SP DG2 SP	DG1 LP DG2 LP	
Crystal Black Silica	45	20	20	20	20/80	20	20	20	20/80	
Dark Grey Metallic	1K	20	20	20	20	20	20	20	20	
Deep Cherry Pearl	3U	_	20	20	20	_	20	20	20	
Ice Silver Metallic	1U	20	20	20	20	20	20	20	20	
Marine Blue Pearl	9H	_	20	20	20	_	20	20	20	
Satin White Pearl	7J	20	20	20	20/80	20	20	20	20/80	
Ventetian Red Pearl	20	-	20	20	20	_	20	20	20	
INTERIOR TRIM		Cloth	Cloth	Cloth	Leather	Cloth	Cloth	Cloth	Leather	

 $\textbf{20}: \textbf{Ebony/Black interior} \quad \textbf{80}: \textbf{Ivory interior}$